

Research Interests
Vishva M. Dixit, M.D.
Vice President, Early Discovery Research
Genentech, Inc.
1 DNA Way, Mail Stop #40
South San Francisco, CA 94080

Summary of Contributions (*h-Index 150, citations 106,795*)

Apoptosis was a mysterious process in the early nineties. A debate raged as to how the TNF receptor TNFR1 and its close homologue Fas engaged the suicide pathway. The first breakthrough was the demonstration from the Dixit laboratory that a cysteine protease (now termed caspase) was a component of the death receptor-induced apoptotic pathway (Tewari, *JBC*, 1995, citations: 742). These observations set the stage for the identification of YAMA, or caspase-3, as the key downstream executioner protease (Tewari, *Cell*, 1995, citations: 2,635), although this then begged the question of how it was engaged by death receptors. Other surface receptors functioned as ion channels or by altering intracellular phosphorylation events but death receptors signaled apoptosis by an entirely new mechanism. Specifically, an adapter protein termed FADD recruited and activated an initiating death protease termed FLICE/caspase-8 (Chinnaiyan, *Cell*, 1995, citations: 2,934 and Muzio, *Cell*, 1996, citations: 3,448). In other words, the second messenger emanating from the death receptor was a protease! These papers, designated citation classics, resulted in Dr. Dixit being the second most highly cited scientist in 1996.

Subsequently, his laboratory promulgated the “induced proximity model” as a mechanism for the activation of caspase zymogens (Muzio, *JBC*, 1998, citations: 1,317), showed that the FADD/caspase-8 pathway was indeed the central apoptotic conduit used by all death receptors (Pan, *Science*, 1997, citations: 2,141), revealed TRAF3 to be a CD40 signaling adaptor (Hu, *JBC*, 1994; citations: 389), demonstrated that MyD88 was a key adaptor in innate immune signaling (Muzio, *Science*, 1997, citations: 1,252), discovered Paracaspases and Metacaspases, one of which plays a central role in MALT lymphoma (Uren, *Mol Cell*, 2000, citations: 1,108), provided the first evidence of ephrin system involvement in angiogenesis (Pandey, *Science*, 1995, citations: 422) and established that NOD proteins possessing a death-fold are critical components of the inflammasome complex (Mariathasan, *Nature*, 2004, citations: 1,558 and Mariathasan, *Nature*, 2006, citations: 2,498). A20, an increasingly important negative regulator of NF-kappaB signaling incontrovertibly linked to human autoimmune disorders, was first discovered and characterized by his laboratory (Opipari, *JBC*, 1990, citations: 430 and Krikos, *JBC*, 1992, citations: 451) and shown to possess ubiquitin editing activity (Wertz, *Nature*, 2004, citations: 1,661) using isopeptide-linkage specific antibodies (Newton, *Cell*, 2008, citations: 530). Most recently, his group has discovered the non-canonical Inflammasome pathway that responds to the presence of intracellular LPS independent of toll-like receptors (Kayagaki, *Nature*, 2011, citations: 1,274; Kayagaki, *Science*, 2013, citations: 721; and Kayagaki, *Nature*, 2015, citations: 805).

Much of what is described herein is documented in three accounts published in *Nature* (2008, 453:271-273), *Nature Cell Biology* (2010, 12(5): 415) and *The Journal of Immunology* (2013, 190:3-4). These accounts highlight the pervasive excitement in the heydays of apoptosis research and Dr. Dixit’s pivotal role

Research Interests

SELECTED BIBLIOGRAPHY - [h-Index 151, citations 106,431]

*Indicates Citation Classics (*updated July 12, 2019*)

- *1. Chinnaiyan, A.M., O'Rourke, K., Tewari, M., and Dixit, V.M. (1995). FADD, a Novel Death Domain-Containing Protein, Interacts with the Death Domain of Fas and Initiates Apoptosis. **Cell** Vol. 81(4):505-512. [**Number of Citations: 2,438**]
- *2. Tewari, M., Quan, L.T., O'Rourke, K., Desnoyers, S., Zeng, Z., Beidler, D.R., Poirier, G.G., Salvesen, G., and Dixit, V.M. (1995). Yama/Cpp32 β , a Mammalian Homolog of CED-3, is a CrmA-Inhibitable Protease that Cleaves the Death Substrate Poly (ADP-Ribose) Polymerase. **Cell** Vol. 81(5):801-809. [**Number of Citations: 2,635**]
3. Pandey, A., Shao, H., Marks, R.M., Polverini, P.J., and Dixit, V.M. (1995). Role of B61, the Ligand for the Eck Receptor Tyrosine Kinase, in TNF-alpha Induced Angiogenesis. **Science** Vol. 268(5210):567-569. [**Number of Citations: 422**]
- *4. Muzio, M., Chinnaiyan, A.M., Kischkel, F.C., O'Rourke, K., Shevchenko, A., Scaffidi, C., Bretz, J.D., Zhang, M., Ni, J., Gentz, R., Mann, M., Krammer, P.H., Peter, M.E., and Dixit, V.M. (1996). FLICE, a Novel FADD-homologous ICE/CED-3-like Protease, is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex (DISC). **Cell** Vol. 85(6):817-827. [**Number of Citations: 3,448**]
- *5. Chinnaiyan, A.M., O'Rourke, K., Yu, G.L., Lyons, R.H., Garg, M., Duan, D.R., Xing, L., Gentz, R., Ni, J., and Dixit, V.M. (1996). Signal Transduction by DR3, a Death Domain-Containing Receptor Related to TNFR-1 and CD95. **Science** Vol. 274(5289):990-992. [**Number of Citations: 775**]
- *6. Duan H. and Dixit, V.M. (1997). RAIDD is a New 'Death' Adaptor Molecule. **Nature** Vol. 385(6611):86-89. [**Number of Citations: 643**]
- *7. Chinnaiyan, A.M., O'Rourke, K., Lane, B.R., and Dixit, V.M. (1997). Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death. **Science** Vol. 275(5303):1122-1126. [**Number of Citations: 795**]
Commentary: Paper provided a biochemical framework that helped illuminate how key components of the death pathway function.
- *8. Pan, G., O'Rourke, K., Chinnaiyan, A.M., Gentz, R., Ebner R., Ni, J., and Dixit, V.M. (1997). The Receptor for the Cytotoxic Ligand TRAIL. **Science** Vol. 276(5309):111-113. [**Number of Citations: 2,124**]
- *9. Pan, G., Ni, J., Wei, Y.F., Yu, G., Gentz, R., and Dixit, V.M. (1997). An Antagonist Decoy Receptor and a Death Domain-Containing Receptor for TRAIL. **Science** Vol. 277(5327):815-818. [**Number of Citations: 1,883**]
- *10. Muzio, M., Ni, J., Feng, P., and Dixit, V.M. (1997). IRAK (Pelle) Family Member IRAK-2 and MyD88 as Proximal Mediators of IL-1 Signaling. **Science** Vol. 278(5343):1612-1615. [**Number of Citations: 1,252**]
Commentary: First identification of an adapter utilized by the IL-1 receptor to engage the NF- κ B pathway. Achieved prominence when later studies showed MyD88 to also function as an NF- κ B activating adapter for Toll-Like Receptors (TLRs).
11. Yan, M., Wang, L.C., Hymowitz, S.G., Schilbach, S., Lee, J., Goddard, A., de Vos, A. M., Gao, W.Q., and Dixit, V.M. (2000). Two-Amino Acid Molecular Switch in an Epithelial Morphogen that Regulates Binding to Two Distinct Receptors. **Science** Vol. 290(5491):523-527. [**Number of Citations: 323**]
12. Humke, E.W., Shriver, S.K., Starovasnik, M.A., Fairbrother, W.J., and Dixit, V.M. (2000). ICEBERG: A Novel Inhibitor of Interleukin-1 β Generation. **Cell** Vol. 103(1):99-111. [**Number of Citations: 279**]
13. Ruefli-Brasse, A.A., French, D.M., and Dixit, V.M. (2003). Regulation of NF- κ B-Dependent Lymphocyte Activation and Development by Paracaspase. **Science** Vol. 302(5650):1581-1584. [**Number of Citations: 373**]
- *14. Zhou, H., Wertz, I., O'Rourke, K., Ultsch, M., Seshagiri, S., Eby, M., Xiao, W., and Dixit, V.M. (2004). Bcl10 Activates the NF- κ B pathway through ubiquitination of NEMO **Nature** Vol. 427(6970):167-171. [**Number of Citations: 600**]

Research Interests

Commentary: Paper shows how post-translational modification (K-63 linked ubiquitination) of NEMO is a pivotal event in antigen-receptor mediated NF- κ B activation.

15. Wertz, I.E., O'Rourke, K.M., Zhang, Z., Dornan, D., Arnott, D., Deshaies, R.J., and Dixit, V.M. (2004). Human De-Etiolated-1 Regulates c-Jun by Assembling a CUL4A Ubiquitin Ligase. **Science** Vol. 303(5662):1371-1374. **[Number of Citations: 343]**

Commentary: First identification of the long sought after mammalian c-jun ubiquitin ligase and suggestion of how it functions in plants to regulate photomorphogenesis.

- *16. Dornan, D., Wertz, I., Shimizu, H., Arnott, D., Frantz, G.D., Dowd, P., O'Rourke, K., Koeppen, H., and Dixit, V.M. (2004). The ubiquitin ligase COP1 is a critical negative regulator of p53. **Nature** Vol. 429(6987):86-92. **[Number of Citations: 764]**
- *17. Mariathasan, S., Newton, K., Monack, D.M., Vucic, D., French, D.M., Lee, W.P., Roose-Girma, M., Erickson, S., and Dixit, V.M. (2004). Differential activation of the inflammasome by caspase-1 adapters ASC and Ipaf. **Nature** Vol. 430(6996):213-218. **[Number of Citations: 1,558]**

Commentary: Unequivocal identification of the upstream adapters responsible for activation of caspase-1, the protease responsible for the proteolytic maturation of IL-1 and IL-18, and their subversion by pathogenic organisms. Designated as a "Hot Paper" in The Scientist (Volume 22 | Issue 2 | Page 59)

- *18. Wertz, I.E., O'Rourke, K., Zhou, H., Eby, M., Aravind, L., Seshagiri, S., Wu, P., Wiesmann, C., Baker, R., Boone, D. L., Ma, A., Koonin, E.V., and Dixit, V.M. (2004). De-ubiquitination and ubiquitin ligase domains of A20 downregulate NF- κ B signalling. **Nature** Vol. 430(7000):694-699. **[Number of Citations: 1,661]**

Commentary: First example of a protein possessing both an ubiquitin ligase and a ubiquitin hydrolase activity that function in concert to attenuate NF- κ B signaling. Featured in The Scientist (Volume 20 | Issue 7 | Page 60) as a "Hot Paper."

- *19. Mariathasan, S., Weiss, D.S., Newton, K., McBride, J., O'Rourke, K., Roose-Girma, M., Lee, W.P., Weinrauch, Y., Monack, D.M., and Dixit, V.M. (2006). Cryopyrin activates the inflammasome in response to toxins and ATP. **Nature** Vol. 440(7081):228-232. **[Number of Citations: 2,498]**
20. Dornan, D., Shimizu, H., Mah, A., Dudhela, T., Eby, M., O'Rourke, K., Seshagiri, S., and Dixit, V.M. (2006). ATM engages auto-degradation of the E3 ubiquitin ligase COP1 after DNA damage **Science** Vol. 313(5790):1122-1126. **[Number of Citations: 129]**
- *21. Kayagaki, N., Phung, Q., Chan, S., Chaudhari, R., Quan, C., O'Rourke, K.M., Eby, M., Pietras, E., Cheng, G., Bazan, J.F., Zhang, Z., Arnott, D., and Dixit, V.M. (2007). A Deubiquitinase that Regulates Type I Interferon Production. **Science** Vol. 318(5856):1628-1632. **[Number of Citations: 400]**
- *22. Varfolomeev, E., Blankenship, J.W., Wayson, S.M., Fedorova, A.V., Kayagaki, N., Garg, P., Zobel, K., Dynek, J.N., Wallweber, J. A., Flygare, J., Fairbrother, W.J., Deshayes, K., Dixit, V.M. and Vucic, D. (2007). IAP Antagonists Induce Autoubiquitination of c-IAPs, NF κ B Activation, and TNF α -Dependent Apoptosis. **Cell** Vol. 131(4):669-681. **[Number of Citations: 1,079]**
- *23. Newton, K., Matsumoto, M., Wertz, I., Kirkpatrick, D., Lill, J., Tan, J., Dugger, D., Gordon, N., Sidhu, S., Fellouse, F., Komuves, L., French, D., Ferrando, R., Lam, C., Compaan, D., Yu, C., Bosanac, I., Hymowitz, S., Kelley, R., and Dixit, V.M. (2008). Ubiquitin Chain Editing Revealed by Polyubiquitin Linkage-Specific Antibodies. **Cell** Vol. 134(4):668-678. **[Number of Citations: 530]**
- *24. Schwickart, M., Huang, X., Lill, J.R., Liu, J., Ferrando, R., French, D., Maecker, H., O'Rourke, K., Bazan, F., Eastham-Anderson, J., Yue, P., Dornan, D., Huang, D.C., and Dixit, V.M. (2010). Deubiquitinase USP9X Stabilizes Mcl-1 and Promotes Tumor Cell Survival. **Nature** Vol. 463(7277):103-107. **[Number of Citations: 548]**

25. Wertz I.E., Kusam S., Lam C., Okamoto T., Sandoval W., Anderson D.J., Helgason E., Ernst J.A., Eby M., Liu J., Belmont L.D., Kaminker J.S., O'Rourke K.M., Pujara K., Kohli P.B., Johnson A.R., Chiu M.L., Lill J.R., Jackson P.K., Fairbrother W.J., Seshagiri S., Ludlam M.J.C., Leong K.G., Dueber E.C., Maecker H., Huang D.C.S. and

Research Interests

- Dixit, V.M. (2011). Sensitivity to antitubulin chemotherapeutics is regulated by MCL1 and FBW7. **Nature** Vol. 471(7336):110-114. [Number of Citations: 579]
26. Vitari A.C., Leong K.G., Newton K., Yee C., O'Rourke K., Lie J., Phu L., Vij R., Ferrando R., Couto S.S., Mohan S., Pandita A., Hongo J. -A., Arnott D., Gao W. -Q, French D.M., and Dixit V.M. (2011). COP1 is a tumour suppressor that causes deregulation of ETS transcription factors. **Nature** Vol. 474(7351):403-406. [Number of Citations: 124]
27. Williams, S.A., Maecker, H.L., French, D.L., Liu, J., Gregg, A., Silverstein, L.B., Cao, T.C., Carano, R.A., and Dixit, V.M. (2011). USP1 Deubiquitinates ID Proteins to Preserve a Mesenchymal Stem Cell Program in Osteosarcoma. **Cell** Vol. 146(6):918-930. [Number of Citations: 157]
- *28. Kayagaki, N., Warming, S., Lamkanfi, M., Vande Walle, L., Louie, S., Dong, J., Newton, K., Qu, Y., Liu, J., Heldens, S., Zhang, J., Lee, W.P., Roose-Girma, M., and Dixit, V.M. (2011). Non-canonical inflammasome activation targets caspase-11. **Nature** Vol. 479(7371):117-121. [Number of Citations: 1,274]
29. Qu, Y., Misaghi S., Izrael-Tomasevic, A., Newton, K., Gilmour, L.L., Lamkanfi, M., Louie, S., Kayagaki, N., Liu, J., Komuves, L., Cupp, J.E., Arnott, D., Monack, D., and Dixit, V.M. (2012). Phosphorylation of NLRC4 is critical for inflammasome activation. **Nature** Vol. 490(7419):539-542. [Number of Citations: 218]
30. Dey, A., Seshasayee, D., Noubade, R., French, D. M., Liu, J., Chaurushiya, M. S., Kirkpatrick, D. S., Pham, V. C., Lill, J. R., Bakalarski, C. E., Wu, J., Phu, L., Katavolos, P., Saunders, L. M., Abdel-Wahab, O., Modrusan, Z., Seshagiri, S., Dong, K., Lin, Z., Balazs, M., Suriben, R., Newton, K., Hymowitz, S., Garcia-Manero, G., Martin, F., Levine, R. L., and Dixit, V. M. (2012) Loss of the tumor suppressor BAP1 causes myeloid transformation. **Science** Vol. 337(6101):1541-1546. [Number of Citations: 275]
- *31. Kayagaki, N., Wong, M.T., Stowe, I.B., Ramani, S.R., Gonzalez, L.C., Akashi-Takamura, S., Miyake, K., Zhang, J., Lee, W.P., Muszynski, A, Forsberg, L.S., Carlson, R.W., Dixit, V.M. (2013) Non-canonical inflammasome activation by intracellular LPS independent of TLR4. **Science** Vol. 341(6151):1246-1249. [Number of Citations: 721]
32. Newton, K., Dugger, D.L., Wickliffe, K.E., Kapoor, N., de Almagro, M.C., Vucic, D., Komuves, L., Ferrando, R.E., French, D.M., Webster, J., Roose-Girma, M., Warming, S., Dixit, V.M. (2014) Activity of protein kinase RIPK3 determines whether cells die by necroptosis or apoptosis. **Science** Vol. 343(6177):1357-1360. [Number of Citations: 353]
33. Rutz, S., Kayagaki, N., Phung, Q.T., Eidenschenk, C., Noubade, R., Wang, X., Lesch, J., Lu, R., Newton, K., Huang, O.W., Cochran, A.G., Vasser, M., Fauber, B.P., DeVoss, J., Webster, J., Diehl, L., Modrusan, Z., Kirkpatrick, D.S., Lill, J.R., Ouyang, W., Dixit, V.M. (2015) Deubiquitinase DUBA is a post-translational brake on interleukin-17 production in T Cells. **Nature** Vol. 518(7539):417-421.
- *34. Kayagaki, N., Stowe, I.B., Lee, B.L., O'Rourke, K., Anderson, K., Warming, S., Cuellar, T., Haley, B., Roose-Girma, M., Phung, Q.T., Liu, P.S., Lill, J.R., Li, H., Wu, J., Kummerfeld, S., Zhang, J., Lee, W.P., Snipas, S.J., Salvesen, G.S., Morris, L.X., Fitzgerald, L., Zhang, Y., Bertram, E.M., Goodnow, C.C., Dixit, V.M. (2015) Caspase-11 cleaves Gasdermin-D for non-canonical inflammasome signaling. **Nature** Vol. 526(7575):666-671. [Number of Citations: 805]
35. Wertz, I.E., Newton, K., Seshasayee, D., Kusam, S., Lam, C., Zhang, J., Popovych, N., Helgason, E., Schoeffler, A., Jeet, S., Ramamoorthi, N., Kategaya, L., Newman, R.J., Horikawa, K., Dugger, D., Sandoval, W., Mukund, S., Zindal, A., Martin, F., Quan, C., Tom, J., Fairbrother, W.J., Townsend, M., Warming, S., DeVoss, J., Liu, J., Dueber, D., Caplazi, P., Lee, W.P., Goodnow, C.C., Balazs, M., Yu, K., Kolumam, G., Dixit, V.M. (2015) Phosphorylation and linear ubiquitin regulate A20 inhibition of inflammation. **Nature** Vol. 528(7582):370-375. Erratum in: 2016 **Nature** Vol. 532:402. [Number of Citations: 110]
36. Suriben, R., Kaihara, K.A., Reichelt, M., Kummerfeld, S.K., Modrusan, Z., Dugger, D.L., Newton, K., Webster, J.D., Liu, J., Hebrok, M., Dixit, V.M. (2015) β -cell insulin secretion requires the ubiquitin ligase COP1. **Cell** Vol. 163(6):1457-1467.

Research Interests

37. Newton, K., Wickliffe, K.E., Maltzman, A., Dugger, D.L., Strasser, A., Pham, V.C., Lill, J.R., Roose-Girma, M., Warming, S., Solon, M., Ngu, H., Webster, J.D., and Dixit, V.M. (2016) RIPK1 inhibits ZBP1-driven necroptosis during development. **Nature** Vol. 540(7631):129-133.
38. Yau, R.G., Doerner, K., Castellanos, E.R., Haakonsen, D.L., Werner, A., Wang, N., Yang, X.W., Martinez-Martin, N., Matsumoto, M.L., Dixit, V.M., Rape, M. (2017) Assembly and Function of Heterotypic Ubiquitin Chains in Cell-Cycle and Protein Quality Control. **Cell** Vol. 171(4):918-933
39. Heger, K., Wickliffe, K.E., Ndoja, A., Zhang, J., Murthy, A., Dugger, D.L., Maltzman, A., de Sousa e Melo, F., Hung, J., Zeng, J., Verschuere, E., Kirkpatrick, D.S., Vucic, D., Lee, W., Rosse-Girma, M., Warming, S., Hsiao, Y.-C., Komuves, L., Webster, J.D., Newton, K., Dixit, V.M. (2018) OTULIN limits cell death and inflammation by deubiquitinating LUBAC, **Nature**, Vol. 559(7712):120-124.
40. Meng, H., Chaurushiya, M.S., Webster, J.D., Kummerfeld, S., Reja, R., Chaudhuri, S., Chen, Y.-J., Modrusan, Z., Haley, B., Dugger, D.L., Eastman-Anderson, J., Lau, L., Dey, A., Caothien, R., Roose-Girma, M., Newton, N., Dixit, V.M. (2019) Intrinsic apoptosis shapes the tumor spectrum linked to inactivation of the deubiquitinase BAP1, **Science**, Vol. 364 (6437): 283-285.
41. Nina Oberbeck, Christine S. Huang, Joshua D. Webster, Victoria C. Pham, Rohit Reja, Yue Zhang, Merone Roose-Girma, Soren Warming, Qingling Li, Andrew Birnberg, Weng Wong, Wendy Sandoval, Laszlo G. Komuves, Debra L. Dugger, Allie Maltzman, Kim Newton, Vishva M. Dixit (2019) The RIPK4-IRF6 signaling axis safeguards epidermal differentiation and barrier function “*in press*” *Nature*.
42. Kim Newton, Katherine E. Wickliffe, Debra L. Duggar, Allie Maltzman, Merone Roose-Girma, Laszlo Komuves, Joshua D. Webster, Vishva M. Dixit (2019) The caspase-8 processing site in kinase RIPK1 is critical for suppressing apoptosis and necroptosis “*in press*” *Nature*.
43. Kim Newton, Katherine E. Wickliffe, Allie Maltzman, Debra L. Duggar, Rohit Reja, Merone Roose-Girma, Zora Modrusan, Joshua D. Webster, Vishva M. Dixit (2019) Activity of caspase-8 determines plasticity between cell death pathways “*in press*” *Nature*.