

Safety Data Sheet

# ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name                      ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

Product code                      SAP-10130455

Synonyms                          - Actemra 20 mg/ml concentrate for solution for infusion  
- ACTEMRA(R) Vials (200 mg)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use                                      - pharmaceutical active substance (antirheumatic)                      \*1  
- for intravenous infusion after dilution

### 1.3. Details of the supplier of the safety data sheet

Company information	Enquiries: Genentech, Inc. 1 DNA Way South San Francisco USA-CA 94080 United States of America	Local representation:
	Phone      001-(650) 225-1000 E-Mail     info.sds@roche.com US Chemtrec phone: (800)-424-9300	

### 1.4. Emergency telephone number

Emergency telephone number      US Chemtrec phone: (800)-424-9300

\*1 referring to:                      Tocilizumab

## SECTION 2: Hazards identification

### Classification of the substance or mixture / Label elements

GHS Classification                      no classification and labelling according to GHS

### Other hazards

Note                                      - no information available

# ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

## SECTION 3: Composition/information on ingredients

Characterization                      tocilizumab with other inactive ingredients  
1 vial contains 200 mg tocilizumab

Ingredients	Concentration	GHS-Classification (pure ingredient)
Tocilizumab 375823-41-9	2 %	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Eye contact	- rinse immediately with tap water for 10 minutes - open eyelids forcibly
Skin contact	- remove immediately contaminated clothes, wash affected skin with water and soap - do not use any solvents
Inhalation	- remove the casualty to fresh air - in the event of symptoms get medical treatment

### 4.2. Most important symptoms and effects, both acute and delayed

Note                                      - no information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physician                      - treat symptomatically

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media        - adapt extinguishing media to surrounding fire conditions

Flash point (liquid)                      not applicable

### 5.2. Special hazards arising from the substance or mixture

Specific hazards                        - no particular hazards known

### 5.3. Advice for firefighters

Protection of fire-fighters            - precipitate gases/vapours/mists with water spray

# ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions - no special precautions required

### 6.2. Environmental precautions

Environmental protection - no special environmental precautions required

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up - rinse with plenty of water

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Suitable materials - glass

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions - 2 - 8 °C  
- do not freeze  
- protected from light

Validity - see "best use before" date stated on the label, after opening the content should be used within a short period

Packaging materials - vials  
- keep it in the outer carton in order to protect from light

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Threshold value (Roche) air - IOEL (Internal Occupational Exposure Limit): 0.4 mg/m<sup>3</sup> \*1

### 8.2. Exposure controls

Respiratory protection - Respiratory protection is recommended as a precaution to minimize exposure. Effective engineering controls are considered to be the primary means to control worker exposure. Respiratory protection should not substitute for feasible engineering controls.  
- respiratory protection not necessary during normal operations

Hand protection - protective gloves (eg made of neoprene, nitrile or butyl rubber)

# ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

Eye protection - safety glasses

\*1 referring to: Tocilizumab

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Color colorless to slightly yellow  
clear to opalescent

Form clear solution  
sterile liquid

### 9.2. Other information

Note - no information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Note - no information available

### 10.2. Chemical stability

Stability - does not contain any antimicrobial preservative; therefore, care must be taken to ensure the sterility of the prepared solution  
- as for all other proteins, monoclonal antibodies are temperature-sensitive; the thermal denaturation has an impact on quality but does not affect Plant and Process Safety; during decomposition no flammable gas, no organic peroxide and no oxidising substances are created

### 10.3. Possibility of hazardous reactions

Note - no information available

### 10.4. Conditions to avoid

Conditions to avoid - warming  
- light  
- heavy mechanical loads (shock, impact)

### 10.5. Incompatible materials

Note - no information available

# ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

## 10.6. Hazardous decomposition products

Note - no information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	<ul style="list-style-type: none"> <li>- NOEL <math>\geq</math> 150 mg/kg (i.v., rat) *1</li> <li>- not bioavailable by oral administration *1</li> </ul>
Subacute toxicity	<ul style="list-style-type: none"> <li>- NOAEL 10 mg/kg/d (i.v., rat, 28 d) *1</li> </ul>
Sensitization	<ul style="list-style-type: none"> <li>- anaphylactic reactions may occur following the intravenous application of proteins; after inhalative exposure no cases of hypersensitivity have been described</li> </ul>
Chronic toxicity	<ul style="list-style-type: none"> <li>- NOAEL &gt; 100 mg/kg/w (i.v., monkey; 6 months) *1</li> </ul>
Mutagenicity	<ul style="list-style-type: none"> <li>- not mutagenic (various in vitro test systems) *1</li> </ul>
Note	<ul style="list-style-type: none"> <li>- immunosuppressive agent *1</li> <li>- therapeutic dose: 4 to 8 mg/kg/month *1</li> <li>- elimination half-life: 6 to 9 d *1</li> <li>- side effect(s) during therapy: liver damages, infectious episodes *1</li> </ul>
Potential Health Effects	<ul style="list-style-type: none"> <li>- Exposure: Inhalation, Ingestion, Skin contact, Eye contact</li> <li>- Carcinogenicity: formulation not listed by NTP, IARC or OSHA</li> </ul>
Additional Health Information	<ul style="list-style-type: none"> <li>- Conditions Aggravated: Hypersensitivity to this material and other materials in its chemical class.</li> </ul>
*1 referring to:	Tocilizumab

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity	<ul style="list-style-type: none"> <li>- barely toxic for planktonic crustaceans (nominal concentration = 100 mg/l) (<i>Daphnia magna</i>) EC<sub>50</sub> (48 h) &gt; 100 mg active substance/l NOEC (48 h) 100 mg active substance/l (OECD No. 202) *2</li> <li>- barely toxic for fish (nominal concentration = 100 mg/l) (zebrafish) LC<sub>50</sub> (96 h) &gt; 100 mg active substance/l NOEC (96 h) 100 mg active substance/l (OECD No. 203) *2</li> <li>- no adverse influence on substrate biodegradation (activated sludge) concentration (14 d) 100 mg active substance/l (Manometric Respirometry Test, OECD No. 301 F) *2</li> </ul>
-------------	---

## ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

- barely toxic for algae (nominal concentration = 100 mg/l)  
(Scenedesmus (=Desmodesmus) subspicatus)  
EC<sub>50</sub> (72 h) > 100 mg active substance/l  
NOEC (72 h) 100 mg active substance/l  
(OECD No. 201) \*2

### 12.2. Persistence and degradability

- Ready biodegradability
- readily biodegradable  
89 % BOD/ThOD, 28 d  
≥ 76 % active substance, 28 d  
(Manometric Respirometry Test, OECD No. 301 F) \*2

### 12.3. Bioaccumulative potential

- Note
- no information available

### 12.4. Mobility in soil

- Note
- no information available

### 12.5. Results of PBT and vPvB assessment

- Note
- no information available

### 12.6. Other adverse effects

- Note
- no information available

\*2 referring to: ACTEMRA™ Sterile Concentrate for Injection (80, 200 & 400 mg)

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Waste from residues
- observe local/national regulations regarding waste disposal
  - drain very small quantities into wastewater treatment plant

## SECTION 14: Transport information

- Note
- not classified by transport regulations, proper shipping name non-regulated

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- TSCA Status
- FDA Exemption - not on inventory

## ACTEMRA(R) Sterile Concentrate for Injection (200 mg)

### Reporting Requirements

- The United States Environmental Protection Agency (USEPA) has not established a Reportable Quantity (RQ) for releases of this material.
- In New Jersey, report all releases which are likely to endanger the public health, harm the environment or cause a complaint to the NJDEPE Hotline (1-609-292-5560) and to local officials.
- State and local regulations vary and may impose additional reporting requirements.

## SECTION 16: Other information

### Note

- Please note this Safety Data Sheet for the bulk product does not apply for the finished, packaged medicinal product intended for the final user.

### Edition documentation

- changes from previous version in sections 2, 3, 16

The information in this safety data sheet is based on current scientific knowledge. It should not be taken as expressing or implying any warranty concerning product characteristics.