



**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

H351 Suspected of causing cancer.  
 H360D May damage the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Mycophenolate mofetil	128794-94-5	59.7
Cellulose	9004-34-6	29.1
Croscarmellose sodium	74811-65-7	3.9
2-Pyrrolidinone, 1-ethenyl-, homo-polymer	9003-39-8	2.9
Octadecanoic acid, magnesium salt (2:1)	557-04-0	1.5
Titanium oxide (TiO <sub>2</sub> )	13463-67-7	<= 0.9
non hazardous compounds	Not Assigned	2.0

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
 Show this material safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version 1.1	Revision Date: 02-19-2020	Date of last issue: 06-10-2017 Date of first issue: 06-10-2017
----------------	------------------------------	---

- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.  
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Suspected of causing genetic defects.  
Suspected of causing cancer.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : In case of fire hazardous decomposition products may be produced such as:  
Carbon oxides  
Nitrogen oxides (NOx)
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version  
1.1

Revision Date:  
02-19-2020

Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid exposure  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : See label, package insert or internal guidelines
- Storage temperature : Protected from heat and light
- Further information on storage stability : No decomposition if stored and applied as directed.
- Packaging material : Suitable material: Polyethylene bag in metal drum, Plastic container of HDPE, Blister packages

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Ingredients with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

# SAFETY DATA SHEET

## CELLCEPT(R) Film Coated Tablets (500 mg)

Version  
1.1

Revision Date:  
02-19-2020

Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

		(Form of exposure)	ters / Permissible concentration	
Mycophenolate mofetil The value is given in analogy to the following substances: Mycophenolic acid	128794-94-5	IOEL	0.01 mg/m <sup>3</sup>	Roche Industrial Hygiene Committee (RIHC)
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	15 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0
Octadecanoic acid, magnesium salt (2:1)	557-04-0	TWA (Inhalable fraction)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH
Titanium oxide (TiO <sub>2</sub> )	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Mycophenolate mofetil	Surface waters	0.58 µg/l
	Remarks: Based on chronic data	
	Surface waters	64 µg/l
	Remarks: Based on chronic data, Provisional antibiotic resistance PNEC	

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Effective dust mask

Hand protection

Material : Protective gloves

Remarks : Wear appropriate protective gloves to prevent skin contact.

**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

- Eye protection : Replace torn or punctured gloves promptly.  
: Eye wash bottle with pure water  
: Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit  
: Choose body protection according to the amount and  
concentration of the dangerous substance at the work place.
- Protective measures : Instruction of employees mandatory
- Hygiene measures : When using do not eat or drink.  
: When using do not smoke.  
: Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : tablet
- Odor : Not applicable
- Odor Threshold : Not applicable
- pH : Not applicable
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Evaporation rate : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : Not applicable
- Relative density : No data available
- Solubility(ies)  
Water solubility : No data available  
Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available
- Autoignition temperature : No data available
- Decomposition temperature : No data available

**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

Viscosity  
Viscosity, dynamic : Not applicable  
Viscosity, kinematic : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Incompatible materials : No data available  
Hazardous decomposition products : No data available

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 588.96 mg/kg  
Method: Calculation method  
Acute inhalation toxicity : Acute toxicity estimate: 178.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method  
Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****Mycophenolate mofetil:**

Acute oral toxicity : LD50 Oral (Rat, female): 353 mg/kg  
LD50 Oral (Rat, male): 500 mg/kg  
LD0 (Rat): 250 mg/kg  
LD50 Oral (Mouse): > 4,000 mg/kg

**Cellulose:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

## CELLCEPT(R) Film Coated Tablets (500 mg)

Version  
1.1

Revision Date:  
02-19-2020

Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

### **Octadecanoic acid, magnesium salt (2:1):**

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

### **Titanium oxide (TiO2):**

Acute oral toxicity : LD50 (Rat): > 7,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Mycophenolate mofetil:**

Species : laboratory animal  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Mycophenolate mofetil:**

Species : laboratory animal  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Mycophenolate mofetil:**

Result : Did not cause sensitization on laboratory animals.

### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### **Components:**

#### **Mycophenolate mofetil:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
The value is given in analogy to the following substances:  
Mycophenolic acid



**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version 1.1	Revision Date: 02-19-2020	Date of last issue: 06-10-2017 Date of first issue: 06-10-2017
----------------	------------------------------	---

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 473  
Result: negative  
The value is given in analogy to the following substances:  
Mycophenolic acid

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
The value is given in analogy to the following substances:  
Mycophenolic acid

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: positive  
The value is given in analogy to the following substances:  
Mycophenolic acid

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects

**Carcinogenicity**  
Suspected of causing cancer.

**Components:**

**Mycophenolate mofetil:**

Species : laboratory animal  
Result : negative

**Cellulose:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC** Group 2B: Possibly carcinogenic to humans  
Titanium oxide (TiO2) 13463-67-7

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**  
May damage the unborn child.

**Components:**

**Mycophenolate mofetil:**

Effects on fetal development : Species: laboratory animal  
Result: Teratogenic effects.

Reproductive toxicity - As- : May damage the unborn child., Presumed human

**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

assessment

reproductive toxicant

**STOT-single exposure**

Not classified based on available information.

**Components:****Octadecanoic acid, magnesium salt (2:1):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Components:****Mycophenolate mofetil:**

Assessment : Causes damage to organs through prolonged or repeated exposure.

**Octadecanoic acid, magnesium salt (2:1):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration toxicity**

Not classified based on available information.

**Components:****Octadecanoic acid, magnesium salt (2:1):**

No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Mycophenolate mofetil:**Toxicity to fish : NOEC (Poecilia reticulata (guppy)): 1.7 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: noToxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: no  
Remarks: nominal concentrationNOEC (Daphnia magna (Water flea)): 27.7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**CELLCEPT(R) Film Coated Tablets (500 mg)**
Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017GLP: no  
Remarks: average measured concentration

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0.6 mg/l

Exposure time: 72 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: average measured concentrationEyC50 (Desmodesmus subspicatus (green algae)): 0.2 mg/l  
Exposure time: 72 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: average measured concentrationNOEC (Desmodesmus subspicatus (green algae)): 0.1 mg/l  
Exposure time: 72 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: nominal concentrationLowest Observed Effect Concentration (Desmodesmus subspicatus (green algae)): 1.6 mg/l  
Exposure time: 14 d  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: nominal concentrationErC50 (Anabaena flos-aquae (cyanobacterium)): 0.423 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: average measured concentration  
The value is given in analogy to the following substances:  
Mycophenolic acidErC10 (Anabaena flos-aquae (cyanobacterium)): 0.155 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: average measured concentration  
The value is given in analogy to the following substances:  
Mycophenolic acidToxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): 0.0058 mg/l  
Test Type: Fish early-life stage (FELS) toxicity test (OECD 210)  
Method: OECD Test Guideline 210  
The value is given in analogy to the following substances:  
Mycophenolic acid

Toxicity to daphnia and other : EC10 (Daphnia magna (Water flea)): 0.929 mg/l

**CELLCEPT(R) Film Coated Tablets (500 mg)**
Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d  
Method: OECD Test Guideline 211  
The value is given in analogy to the following substances:  
Mycophenolic acid

Toxicity to microorganisms : (activated sludge): 100 mg/l  
Exposure time: 14 d  
Analytical monitoring: yes  
Method: OECD Test Guideline 301F  
GLP: no  
Remarks: no adverse influence on substrate biodegradation  
nominal concentration

**Cellulose:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Octadecanoic acid, magnesium salt (2:1):****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

**Titanium oxide (TiO<sub>2</sub>):**

Toxicity to fish : LC<sub>0</sub> (Leuciscus idus (Golden orfe)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC<sub>0</sub> (Daphnia magna (Water flea)): 3 mg/l  
Exposure time: 720 h

**Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:****Mycophenolate mofetil:**

Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 100 mg/l

**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

Result: Not readily biodegradable.  
 Biodegradation: < 6 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F  
 GLP: no  
 Remarks: Primary biodegradation

Biodegradation: 82.2 %  
 Testing period: 2.9 d  
 Exposure time: 28 d  
 Method: OECD Test Guideline 314  
 GLP: yes  
 Remarks: Ultimate aerobic biodegradation  
 The value is given in analogy to the following substances:  
 Mycophenolic acid

Testing period: 1.7 d  
 Method: OECD Test Guideline 314  
 GLP: yes  
 Remarks: Primary biodegradation  
 The value is given in analogy to the following substances:  
 Mycophenolic acid

Stability in water : Hydrolysis: 50 % at37 °C(118 h)  
 Hydrolysis: 50 % at37 °C(19 h)

**Bioaccumulative potential****Components:****Mycophenolate mofetil:**

Partition coefficient: n- : log Pow: 1.45  
 octanol/water pH: 7.4

log Pow: 0.47  
 pH: 7.0

**Cellulose:**

Partition coefficient: n- : Remarks: No data available  
 octanol/water

**Octadecanoic acid, magnesium salt (2:1):**

Partition coefficient: n- : log Pow: 0.8  
 octanol/water Method: OECD Test Guideline 107

**Titanium oxide (TiO<sub>2</sub>):**

Partition coefficient: n- : Remarks: No data available  
 octanol/water

**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version 1.1                                      Revision Date: 02-19-2020                                      Date of last issue: 06-10-2017  
 Date of first issue: 06-10-2017

**Mobility in soil**

**Components:**

**Mycophenolate mofetil:**

Distribution among environmental compartments : Medium: Soil  
 Koc: 168 - 557 ml/g  
 Kd: 2.2 - 5.5 ml/g  
 Method: OECD Test Guideline 106  
 Remarks: Mobile in soils  
 Not expected to adsorb on soil.

Medium: Sludge  
 Koc: 30 - 37 ml/g  
 Kd: 9.3 - 13 ml/g  
 Method: OECD Test Guideline 106

**Other adverse effects**

**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
 Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
 Very toxic to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version	Revision Date:	Date of last issue: 06-10-2017
1.1	02-19-2020	Date of first issue: 06-10-2017

N.O.S.  
(Mycophenolate mofetil mixture)

Class : 9  
Packing group : III  
Labels : 9

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Mycophenolate mofetil mixture)

Class : 9  
Packing group : III  
Labels :  
Packing instruction (cargo : 956  
aircraft)  
Packing instruction (passen- : 956  
ger aircraft)  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Mycophenolate mofetil mixture)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Domestic regulation****49 CFR**

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Mycophenolate mofetil mixture)

Class : 9  
Packing group : III  
Labels : Class 9 - Miscellaneous dangerous substances and articles  
ERG Code : 171  
Marine pollutant : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version 1.1                                      Revision Date: 02-19-2020                                      Date of last issue: 06-10-2017  
 Date of first issue: 06-10-2017

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
<b>SARA 311/312 Hazards</b>	:	Acute toxicity (any route of exposure) Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity (single or repeated exposure)

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).  
 This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).  
 This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).  
 This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.  
 This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.  
 This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Cellulose 9004-34-6

**Pennsylvania Right To Know**

Mycophenolate mofetil 128794-94-5  
 Cellulose 9004-34-6  
 Croscarmellose sodium 74811-65-7

**Maine Chemicals of High Concern**

**Vermont Chemicals of High Concern**

**Washington Chemicals of High Concern**

**California Prop. 65**

WARNING: This product can expose you to chemicals including Titanium oxide (TiO<sub>2</sub>), which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

2-Pyrrolidinone, 1-ethenyl-, homopolymer 9003-39-8

**California Permissible Exposure Limits for Chemical Contaminants**

Cellulose 9004-34-6  
 Octadecanoic acid, magnesium salt (2:1) 557-04-0



**CELLCEPT(R) Film Coated Tablets (500 mg)**

Version  
1.1

Revision Date:  
02-19-2020

Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

**The ingredients of this product are reported in the following inventories:**

- DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
  
Mycophenolate mofetil  
  
Croscarmellose sodium  
  
non hazardous compounds
- AICS : Not in compliance with the inventory
- NZIoC : Not in compliance with the inventory
- ENCS : Not in compliance with the inventory
- ISHL : Not in compliance with the inventory
- KECI : Not in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory
- TCSI : Not in compliance with the inventory
- TSCA : Substance(s) not listed on TSCA inventory


**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**

**CELLCEPT(R) Film Coated Tablets (500 mg)**Version  
1.1Revision Date:  
02-19-2020Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017**NFPA:****HMIS® IV:**

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;

## CELLCEPT(R) Film Coated Tablets (500 mg)

Version  
1.1

Revision Date:  
02-19-2020

Date of last issue: 06-10-2017  
Date of first issue: 06-10-2017

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02-19-2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 1810