



**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**
Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1	8.21
L-Histidine	71-00-1	0.16
L-Methionine	63-68-3	0.15
Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.	9005-64-5	0.06
Acetic acid	64-19-7	0.04
Water	7732-18-5	> 91.0

---

**SECTION 4. FIRST AID MEASURES**

- General advice : Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : No information available.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment : Wear self-contained breathing apparatus for firefighting if

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

for fire-fighters

necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid exposure  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Store between +2°C and +8C.  
Do not freeze.  
Store protected from light  
Do not shake solution  
  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : See label, package insert or internal guidelines
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.  
  
No decomposition if stored and applied as directed.
- Packaging material : Suitable material: Ampoules, Prefilled syringes, Vials

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1	TWA	10 mg/m3	ACGIH

# SAFETY DATA SHEET

## LUNSUMIO 30MG/30ML 1VIAL IV UNLAB

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Mosunetuzumab	1905409-39-3	IOEL	0.0016 mg/m3	Roche Industrial Hygiene Committee (RIHC)
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z-1
		TWA	10 ppm 25 mg/m3	OSHA P0

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection

Material : Protective gloves

Remarks : Wear appropriate protective gloves to prevent skin contact.  
Replace torn or punctured gloves promptly.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Protective measures : Instruction of employees recommended

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

## LUNSUMIO 30MG/30ML 1VIAL IV UNLAB

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Clear liquid
Color	:	colorless
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	5.8
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Self-ignition	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.  Does not contain any antimicrobial preservative; therefore, care must be taken to ensure the sterility of the prepared solution Proteins are temperature-sensitive; the thermal denaturation has an impact on quality but does not affect Plant and Process Safety; during decomposition no flammable gas, no organic peroxide and no oxidising substances are created
Possibility of hazardous reactions	:	No data available Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Components:****Mosunetuzumab:**

Acute oral toxicity	:	Remarks: Not bioavailable by oral administration
Acute toxicity (other routes of administration)	:	HNSTD (Highest Non-Severely Toxic Dose) (cynomolgus monkey): > 1 mg/kg Application Route: i.v. GLP: yes

**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Acute oral toxicity	:	LD50 Oral (Rat): 29,700 mg/kg  LD50 Oral (Mouse): 14,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 30 mg/l Test atmosphere: dust/mist Method: Expert judgment
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Expert judgment

**L-Histidine:**

Acute oral toxicity	:	LD50 Oral (Rat): > 15,000 mg/kg  LD50 Oral (Mouse): > 15,000 mg/kg
---------------------	---	--

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021**L-Methionine:**

- Acute oral toxicity : Acute toxicity estimate (Rat): > 5,000 mg/kg  
Method: Expert judgment
- Acute toxicity estimate (Mouse): > 5,000 mg/kg  
Method: Expert judgment
- Acute inhalation toxicity : Acute toxicity estimate: > 30 mg/l  
Test atmosphere: dust/mist  
Method: Expert judgment
- Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Expert judgment

**Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**

- Acute oral toxicity : LD50 Oral (Rat): 38,900 mg/kg

**Acetic acid:**

- Acute oral toxicity : LD50 Oral (Rat, male and female): 3,310 mg/kg  
GLP: no
- Acute inhalation toxicity : LC50 (Rat, male and female): 11.4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****L-Methionine:**

- Remarks : This information is not available.

**Acetic acid:**

- Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : Causes severe burns.  
GLP : No information available.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****L-Methionine:**

- Remarks : This information is not available.

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021**Acetic acid:**

Species : Rabbit  
 Result : Risk of serious damage to eyes.  
 Exposure time : 4 h  
 Method : OECD Test Guideline 405  
 GLP : No information available.

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**

Genotoxicity in vitro : Test Type: Ames test  
 Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Acetic acid:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
 Test system: Salmonella typhimurium  
 Metabolic activation: Metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative  
 GLP: No information available.  
 Remarks: In vitro tests did not show mutagenic effects

Test Type: Chromosome aberration test in vitro  
 Test system: Chinese hamster ovary cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative  
 GLP: no  
 Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Rat (male and female)  
 Application Route: Inhalation  
 Exposure time: 13 weeks  
 Dose: 0, 1, 5, 20 ppm  
 Method: Mutagenicity (micronucleus test)  
 Result: negative  
 GLP: yes



**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021**Carcinogenicity**

Not classified based on available information.

**Components:****.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**L-Histidine:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Acetic acid:**

Species : Mouse, female  
Application Route : dermal  
Exposure time : 32 weeks  
Frequency of Treatment : 1 - 3 times / week  
Result : negative  
GLP : no  
Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Mosunetuzumab:**

Effects on fertility : Species: cynomolgus monkey  
Result: No adverse effects.

**Acetic acid:**

Effects on fetal development : Species: Mouse, female  
Application Route: Oral  
Dose: 10 ml/kg body weight

## LUNSUMIO 30MG/30ML 1VIAL IV UNLAB

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

Duration of Single Treatment: 6 - 15 d  
Developmental Toxicity: NOAEL: 345 mg/kg body weight  
Method: Regulation (EC) No. 440/2008, Annex, B.31  
GLP: No information available.

### STOT-single exposure

Not classified based on available information.

#### Components:

##### **.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **L-Methionine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

##### **.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **L-Methionine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

No data available

##### **L-Methionine:**

No data available

### Further information

#### Components:

##### **Mosunetuzumab:**

Remarks : Globular proteins are generally well biodegradable

##### **.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Remarks : Health injuries are not known or expected under normal use.

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021**SECTION 12. ECOLOGICAL INFORMATION****Components:****.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

**L-Methionine:**Toxicity to fish : LC50: > 100 mg/l  
Exposure time: 96 h**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

**Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 216 mg/l  
Exposure time: 96 hLC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yesToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 mg/l  
Exposure time: 48 hNOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 48 hToxicity to microorganisms : EC50 (Bacteria): 146 - 774 mg/l  
Exposure time: 0.08 h

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021**Acetic acid:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 300.82 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 300.82 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): > 300.82 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
GLP: yes

**Persistence and degradability****Components:****Mosunetuzumab:**

- Biodegradability : Result: Globular proteins are generally well biodegradable

**Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**

- Biodegradability : Result: Biodegradable  
Biodegradation: 97.2 %  
Testing period: 5 d
- Biodegradation: 60.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

**Acetic acid:**

- Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 3 mg/l  
Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 20 d  
GLP: no

**Bioaccumulative potential****Components:****Mosunetuzumab:**

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021Partition coefficient: n-  
octanol/water : Remarks: No data available**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**Partition coefficient: n-  
octanol/water : log Pow: -3.67**L-Histidine:**Partition coefficient: n-  
octanol/water : Remarks: Not applicable**L-Methionine:**Partition coefficient: n-  
octanol/water : log Pow: -1.87**Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.:**Partition coefficient: n-  
octanol/water : Remarks: No data available**Acetic acid:**

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-  
octanol/water : log Pow: -0.17 (77 °F / 25 °C)  
pH: 7  
Method: No information available.  
GLP: No information available.**Water:**Partition coefficient: n-  
octanol/water : Remarks: No data available**Mobility in soil**

No data available

**Other adverse effects****Product:**Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-  
tection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was manufac-  
tured with a Class I or Class II ODS as defined by the U.S.  
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).**Components:****Mosunetuzumab:**Additional ecological infor-  
mation : Monoclonal antibodies are proteins with highly specific affinity  
to a certain antigen; therefore, no appreciable ecotoxic  
potential is to be expected

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**

Version 1.0                                      Revision Date: 01-04-2021                                      Date of last issue: -  
Date of first issue: 01-04-2021

**L-Histidine:**

Additional ecological information : No data available

**L-Methionine:**

Adsorbed organic bound halogens (AOX) : Remarks: Not applicable

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation**

**49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**

Version 1.0                      Revision Date: 01-04-2021                      Date of last issue: -  
Date of first issue: 01-04-2021

Acetic acid	64-19-7	5000	*
-------------	---------	------	---

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Acetic acid	64-19-7	>= 0 - < 0.1 %
-------------	---------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Acetic acid	64-19-7	>= 0 - < 0.1 %
-------------	---------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1
---	---------

**Pennsylvania Right To Know**

Water	7732-18-5
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1
Acetic acid	64-19-7

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**California Permissible Exposure Limits for Chemical Contaminants**

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1
---	---------

The ingredients of this product are reported in the following inventories:

**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

- DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
Mosunetuzumab
- AICS : Not in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory
- ENCS : Not in compliance with the inventory
- ISHL : Not in compliance with the inventory
- KECI : Not in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory
- TCSI : Not in compliance with the inventory
- TSCA : Substance(s) not listed on TSCA inventory


**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION**

**NFPA:**



**HMIS® IV:**

<b>HEALTH</b>	/	0
<b>FLAMMABILITY</b>		0
<b>PHYSICAL HAZARD</b>		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000



**LUNSUMIO 30MG/30ML 1VIAL IV UNLAB**Version  
1.0Revision Date:  
01-04-2021Date of last issue: -  
Date of first issue: 01-04-2021

OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01-04-2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

## LUNSUMIO 30MG/30ML 1VIAL IV UNLAB

Version  
1.0

Revision Date:  
01-04-2021

Date of last issue: -  
Date of first issue: 01-04-2021

US / Z8 / 1810