## NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

#### **SECTION 1. IDENTIFICATION**

Product name	:	NutropinAQ(R) Pen Cartridge	and NuSpin (10 mg/2 ml)		
Product code	:	RO682-3852/F02			
Manufacturer or supplier's	deta	ails			
Company name of supplier	:	Genentech, Inc.			
Address	:	DNA Way 1 94080 South San Francisco CA USA			
Telephone E-mail address Emergency telephone		001-(650) 225-1000 info.sds@roche.com			
Emergency telephone num- ber	:	US Chemtrec phone	(800)-424-9300		
Recommended use of the chemical and restrictions on use					
Recommended use	:	Formulated pharmaceutical ac	tive substance		
Restrictions on use	:	For professional users only.			

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Somatropin	12629-01-5	0.5
Sodium chloride (NaCl)	7647-14-5	0.88
Sodium citrate	6132-04-3	0.27
Phenol	108-95-2	0.25
Sorbitan, mono-(9Z)-9- octadecenoate, poly(oxy-1,2-	9005-65-6	0.19
ethanediyl) derivs. 1,2,3-Propanetricarboxylic acid, 2-	77-92-9	< 0.02
hydroxy-	11-92-9	< 0.02

## NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

Water		7732-18-5	> 97.0		
CTION 4. FIRST AID MEASUR	ES				
General advice	:	Do not leave the victim	unattended.		
If inhaled	:	Move to fresh air. If unconscious, place in recovery position and seek med advice. If symptoms persist, call a physician.			
In case of skin contact	:	If on skin, rinse well wi	th water.		
In case of eye contact	:	Immediately flush eye( Remove contact lense: Protect unharmed eye. If eye irritation persists	S.		
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious perse If symptoms persist, call a physician. Rinse mouth with water.			
Most important symptoms and effects, both acute and delayed	:	None known.			
Notes to physician	:	The first aid procedure should be established in consultati with the doctor responsible for industrial medicine.			
TION 5. FIRE-FIGHTING ME	٩SI	JRES			
Suitable extinguishing media	:		sures that are appropriate to local surrounding environment.		
Specific hazards during fire fighting	:	No information availab	le.		
Hazardous combustion prod- ucts	:	No hazardous combus	tion products are known		
Further information	:		r chemical fires. sures that are appropriate to local surrounding environment.		
Special protective equipment for fire-fighters	:	Wear self-contained br necessary.	eathing apparatus for firefighting if		

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :	Refer to protective measures listed in sections 7 and 8.
tive equipment and emer-	

Version 1.4		Revision Date: 02-13-2020		Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
genc	y procedures			
Envir	onmental precauti	ions :	Local authorities cannot be contai	should be advised if significant spillages ned.
	ods and materials ainment and clean			orbent material (e.g. cloth, fleece). closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	See label, package insert or internal guidelines
Materials to avoid	:	No materials to be especially mentioned.
Storage temperature	:	Protected from heat and light
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
Packaging material	:	Suitable material: Stainless steel, glass, Autoinjector

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Somatropin	12629-01-5	IOEL	0.02 mg/m3	Roche In- dustrial Hy- giene Com- mittee (RIHC)
Phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m3	NIOSH REL
		С	15.6 ppm 60 mg/m3	NIOSH REL
		TWA	5 ppm 19 mg/m3	OSHA Z-1
		TWA	5 ppm 19 mg/m3	OSHA P0

Version 1.4

# Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Phenol	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g Creatinine	ACGIH BEI
Engineering measures	: No	data available				
Personal protective equ	ipment					
Respiratory protection		personal resp uired.	iratory prote	ctive equipr	nent normally	
Hand protection						
Material	: Pro	tective gloves				
Remarks		ear appropriate				tact.
Eye protection		Replace torn or punctured gloves promptly. Safety glasses				
Skin and body protection	: Pro	otective suit				
Hygiene measures		ndle in accorda ctice.	ance with go	od industria	al hygiene and	safety

#### **Biological occupational exposure limits**

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution, Clear liquid, sterile
Color	:	colorless
Odor Threshold	:	Not applicable
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

## NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions. Proteins are temperature-sensitive; the thermal denaturation has an impact on quality but does not affect Plant and Pro- cess Safety; during decomposition no flammable gas, no or- ganic peroxide and no oxidising substances are created
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No data available

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

# NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Vers 1.4	•	Revision 02-13-20	Date:	Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
	<u>Components:</u>			
	<b>Somatropin:</b> Acute oral toxicity	:	Remarks: Not b	ioavailable by oral administration
	Sodium chloride (Na	CI):		
	Acute oral toxicity	-	LD50 Oral (Rat)	): 3,000 mg/kg
			LD50 Oral (Mou	use): 4,000 mg/kg
	Acute inhalation toxici	ty :	Acute toxicity es Test atmospher Method: Expert	
	Acute dermal toxicity	:	LD50 Dermal (F	Rabbit): > 10,000 mg/kg
	Sodium citrate:			
	Acute oral toxicity	:	LD50 Oral (Rat	): > 8,000 mg/kg
	Acute inhalation toxici	ity :	Acute toxicity es Test atmospher Method: Expert	
	Acute dermal toxicity	:	Acute toxicity es Method: Expert	stimate: > 5,000 mg/kg judgment
	Phenol:			
	Acute oral toxicity	:	LD50 Oral (Rat)	): 317 mg/kg
			LD50 Oral (Mou	use): 270 mg/kg
	Acute inhalation toxici	ty :	LC50 (Rat): 0.9 Exposure time: Test atmospher	8 h
	Acute dermal toxicity	:	LD50 Dermal (F	Rabbit): 630 mg/kg
	Sorbitan, mono-(9Z)	-9-octadec	enoate, poly(oxy	/-1,2-ethanediyl) derivs.:
	Acute oral toxicity	:	LD50 Oral (Rat)	): 63,840 mg/kg
	1,2,3-Propanetricarb	oxylic acid	d, 2-hydroxy-:	
	Acute oral toxicity	:	LD50 Oral (Rat)	): > 6,730 mg/kg
			LD50 Oral (Rab	bit): > 7,000 mg/kg
			LD50 Oral (Mou	use): 5,400 mg/kg
	<b>.</b>			

#### Skin corrosion/irritation

Not classified based on available information.

# NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Vers 1.4		Revision   02-13-202	Date:	Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
	<u>Components:</u>			
	Sodium chloride (Na	iCI):		
	Remarks	:	This information	n is not available.
	1,2,3-Propanetricarb	oxvlic acid	I. 2-hvdroxv-:	
	Remarks	:		irritation in susceptible persons.
	Serious eye damage Not classified based o	-		
	Components:			
	Sodium chloride (Na	iCI):		
	Remarks	:	This information	n is not available.
	Sodium citrate:			
	Species	:	Rabbit	
	Remarks	:	slight irritation	
	Phenol:			
	Result	:	Risk of serious	damage to eyes.
	1,2,3-Propanetricarb	oxvlic acid	l. 2-hvdroxv-:	
	Result	:	Irritating to eyes	5.
	Remarks	:	May cause irrev	versible eye damage.
	Respiratory or skin	sensitizatio	on	
	Skin sensitization			
	Not classified based of	on available	information.	
	Respiratory sensitiz		information.	
	Germ cell mutagenic	-	information	
	Components:			
	Somatropin:			
	Genotoxicity in vitro	:	Test Type: Chro Result: positive	omosome aberration test in vitro
	Phenol:			
	Genotoxicity in vitro	:	Remarks: In vitr	ro tests showed mutagenic effects
	Germ cell mutagenicit Assessment	t <b>y -</b> :	In vitro tests she	owed mutagenic effects

### NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version	
1.4	

Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### Sodium citrate:

Remarks	:	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Phenol:		
Remarks	:	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Remarks	:	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### **Components:**

#### Sodium citrate:

Assessment

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

:

1

Assessment

: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT-repeated exposure

Not classified based on available information.

#### **Components:**

#### Sodium citrate:

Assessment

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

#### Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Assessment

: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Repeated dose toxicity

#### Components:

#### 1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

-	-	
NOAEL	:	4,000 mg/kg
Exposure time	:	5d
Number of exposures	:	1

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### Sodium citrate:

No data available

### Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Components:**

Sodium chloride (NaCl):		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 7,650 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 48 h
Ecotoxicology Assessment		
Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available
Sodium citrate:		
Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 18,000 - 32,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 5,600 - 10,000 mg/l

# NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

	evision I 2-13-202		Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
aquatic invertebrates		Exposure tim	ie: 48 h
		EC50 (Cerio Exposure tim	daphnia dubia (water flea)): 735.4 mg/l ne: 48 h
Toxicity to algae	:	IC50 (Chlore 32,000 mg/l Exposure tim	lla vulgaris (Fresh water algae)): > 18,00 ne: 96 h
Ecotoxicology Assessn	nent		
Acute aquatic toxicity	:	This product	has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product	has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected	I to adsorb on soil.
Other organisms relevant the environment	to :	No data avai	lable
Phenol:			
Toxicity to fish	:	LC50 (Cyprir Exposure tim	nus carpio (Carp)): 1.75 mg/l ne: 96 h
Toxicity to daphnia and o aquatic invertebrates	ther :	EC50 (Daphi Exposure tim	nia magna (Water flea)): 10 mg/l ie: 48 h
Toxicity to algae	:	EC50 (Chlore Exposure time	ella vulgaris (Fresh water algae)): 370 m( ne: 96 h
Toxicity to microorganism	IS :	(Pseudomor Exposure tim	nas putida): 64 mg/l le: 16 h

#### Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Ecotoxicology Assessment		
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

#### 1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Toxicity to fish	:	LC0 (Carassius auratus (goldfish)): 625 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	LC100 (Daphnia magna (Water flea)): 85 mg/l
Toxicity to algae	:	EC0 (Scenedesmus quadricauda (Green algae)): 640 mg/l
Toxicity to microorganisms	:	EC0 (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h

# NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

rsion	Revision 02-13-20		Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
Ecotoxicology			
Acute aquatic toxicity Chronic aquatic toxicity		This pro	duct has no known ecotoxicological effects.
		This pro	duct has no known ecotoxicological effects.
Toxicity Data on	Soil :	Not exp	ected to adsorb on soil.
Other organisms the environment		No data	available
Persistence and	d degradability		
Product:			
Biodegradability	:	Exposu Remark	adation: 68 % re time: 28 d s: According to the results of tests of biodegradabilit duct is considered as being readily biodegradable.
Components:			
Somatropin:			
Biodegradability	:	Result:	Globular proteins are generally well biodegradable
Sodium chlorid	e (NaCl):		
Biodegradability	:		s: The methods for determining biodegradability are icable to inorganic substances.
Sodium citrate:			
Biodegradability	:	Exposu	adation: 98 % re time: 3 d s: Expected to be biodegradable
1,2,3-Propanetr	icarboxvlic aci	d. 2-hvdro	DXV-:
Biodegradability	:	Biodegr Exposu	adation: 98 % re time: 7 d OECD Test Guideline 302B
Bioaccumulativ	e potential		
Components:			
Somatropin: Partition coefficie octanol/water	ent: n- :	Remark	s: No data available
Sodium chlorid	e (NaCl):		
Partition coefficie octanol/water	. ,	Remark	s: No data available
Sodium citrate:			

## NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

			5	5pin (10 mg/2 mi)
sio	n	Revision I 02-13-202		Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
	Partition coefficient: n- octanol/water	:	Remarks: No da	ta available
F	Phenol:			
•	Partition coefficient: n- octanol/water	:	Remarks: No da	ta available
S	Sorbitan, mono-(9Z)-	9-octadec	enoate, poly(oxy	-1,2-ethanediyl) derivs.:
	Partition coefficient: n- octanol/water	:	Remarks: No da	ta available
1	l,2,3-Propanetricarbo	oxylic acid	l, 2-hydroxy-:	
	Partition coefficient: n- octanol/water	:	log Pow: -1.72	
V	Water:			
	Partition coefficient: n- octanol/water	:	Remarks: No da	ta available
N	Mobility in soil			
١	No data available			
C	Other adverse effects	5		
E	Product:			
C	Dzone-Depletion Poter	ntial :	tection of Stratos Substances Remarks: This p tured with a Clas	FR Protection of Environment; Part 82 F spheric Ozone - CAA Section 602 Class roduct neither contains, nor was manufa ss I or Class II ODS as defined by the U. ction 602 (40 CFR 82, Subpt. A, App.A -
<u>c</u>	Components:			
S	Somatropin:			
	Additional ecological ir nation	nfor- :		ly specific affinity to a certain antigen; reciable ecotoxic potential is to be exped
F	Phenol:			
A	Additional ecological ir	nfor- :	No data availabl	e

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	Can be disposed as waste water, when in compliance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste
		12 / 16

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

handling site for recycling or disposal. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phenol	108-95-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

		-	
Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phenol	108-95-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS	·No.	Component TPQ (lbs)
SARA 311/312 Hazards	: No SA	RA Hazards	

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Vers 1.4	ion	Revision Date: 02-13-2020	Date of last issue: 06-10-2017 Date of first issue: 12-03-2015
	Clean Water Act	ous Substances are list	ed under the U.S. CleanWater Act, Section 311, Ta-
	ble 116.4A:		
	Phenol The following Hazardo 117.3:	108-95 Dus Chemicals are liste	-2 >= 0.1 - < 1 % d under the U.S. CleanWater Act, Section 311, Table
	Phenol This product does not 307	108-95 contain any toxic pollu	-2 >= 0.1 - < 1 % tants listed under the U.S. Clean Water Act Section
	US State Regulation	S	
	Massachusetts Righ	t To Know	
	Phenol		108-95-2
	Pennsylvania Right	To Know	
	Water Phenol		7732-18-5 108-95-2
	Maine Chemicals of	High Concern	
	Vermont Chemicals	of High Concern	
	Phenol		108-95-2
	Washington Chemic Phenol	als of High Concern	108-95-2
		nis product are report	ed in the following inventories:
	DSL	: This produ	ict contains the following components that are not nadian DSL nor NDSL.
		Somatropi	n
	AICS	: Not in com	pliance with the inventory
	NZIoC	: Not in con	pliance with the inventory
	ENCS	: Not in com	pliance with the inventory
	ISHL	: Not in com	pliance with the inventory
	KECI	: Not in com	pliance with the inventory
	PICCS	: Not in com	pliance with the inventory
	IECSC	: Not in com	pliance with the inventory
	TCSI	: On the inv	entory, or in compliance with the inventory
	TSCA	: Substance	e(s) not listed on TSCA inventory


### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Version 1.4 Revision Date: 02-13-2020 Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

#### SECTION 16. OTHER INFORMATION



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH ACGIH BEI NIOSH REL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) USA. NIOSH Recommended Exposure Limits USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
OSHA P0	•	1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

### NutropinAQ(R) Pen Cartridge and NuSpin (10 mg/2 ml)

Version 1.4 Revision Date: 02-13-2020

Date of last issue: 06-10-2017 Date of first issue: 12-03-2015

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 02-13-2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 1810