

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**SECTION 1. IDENTIFICATION**

Product name : NUTROPIN Cartridges 10 mg/2ml

Product code : RO682-3852/F02-00

**Manufacturer or supplier's details**

Company name of supplier : Genentech, Inc.

Address : 1 DNA Way  
South San Francisco, CA 94080  
USA

Telephone : 001-(650) 225-1000

E-mail address : info.sds@roche.com

Emergency telephone

In case of emergencies: : US CHEMTREC PHONE (800)-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Formulated pharmaceutical active substance

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

**GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Somatropin	12629-01-5	0.5
Sodium chloride (NaCl)	7647-14-5	0.88
Sodium citrate dihydrate	6132-04-3	0.27
Phenol	108-95-2	0.25
Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.	9005-65-6	0.19
1,2,3-Propanetricarboxylic acid, 2-hydroxy-	77-92-9	0.02
Water	7732-18-5	97

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

---

**SECTION 4. FIRST AID MEASURES**

General advice	: Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing
Notes to physician	: Treat symptomatically.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: No information available.
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Storage temperature : Protect from heat and light
- Further information on storage stability : No decomposition if stored and applied as directed.
- Packaging material : Suitable material: Stainless steel, glass, Autoinjector

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Somatropin	12629-01-5	IOEL	0.02 mg/m <sup>3</sup>	Roche Industrial Hygiene Committee (RIHC)
Phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m <sup>3</sup>	NIOSH REL
		C	15.6 ppm	NIOSH REL

**NUTROPIN Cartridges 10 mg/2ml**

 Version  
 1.0

 Revision Date:  
 06/13/2025

 Date of last issue: -  
 Date of first issue: 06/13/2025

			60 mg/m3	
		TWA	5 ppm 19 mg/m3	OSHA Z-1
		TWA	5 ppm 19 mg/m3	OSHA P0

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Phenol	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g creatinine	ACGIH BEI

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

## Hand protection

In case of contact through splashing:

Material : Nitrile rubber  
 Break through time : > 30 min  
 Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber  
 Break through time : > 480 min  
 Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.  
 Replace torn or punctured gloves promptly.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aqueous solution, Clear liquid, sterile

Color : colorless

Odor : No data available

Odor Threshold : Not applicable

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle characteristics		
Particle Size Distribution	:	Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available  No data available
Incompatible materials	:	No data available  Not applicable
Hazardous decomposition products	:	No data available  No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified due to lack of data.

**Product:**

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****Somatropin:**

Acute oral toxicity : Remarks: Not bioavailable by oral administration

**Sodium chloride (NaCl):**

Acute oral toxicity : LD50 Oral (Rat): 3,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

**Sodium citrate dihydrate:**

Acute oral toxicity : LD50 Oral (Mouse): 5,400 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.  
The value is given in analogy to the following substances:  
citric acid

**Phenol:**

Acute oral toxicity : LD50 Oral (Rat): 317 mg/kg  
LD50 Oral (Mouse): 270 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 0.9 mg/l  
Exposure time: 8 h  
Test atmosphere: vapor  
Acute dermal toxicity : LD50 Dermal (Rabbit): 630 mg/kg

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Acute oral toxicity : LD50 Oral (Rat): > 20,000 mg/kg

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**

Acute oral toxicity : LD50 (Rat, male): 11,700 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

Not classified due to lack of data.

**Components:****Somatropin:**

Species : Rabbit  
Assessment : No skin irritation  
Result : negative  
Remarks : Not classified

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Sodium chloride (NaCl):**

Species : Rabbit  
Result : No skin irritation

**Sodium citrate dihydrate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Test substance : anhydrous substance

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Species : Rabbit  
Exposure time : 72 h  
Method : Draize Test  
Result : No skin irritation  
GLP : No information available.  
Test substance : anhydrous substance

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified due to lack of data.

**Components:****Sodium chloride (NaCl):**

Species : Rabbit  
Result : No eye irritation

**Sodium citrate dihydrate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Test substance : anhydrous substance

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Phenol:**

Result : Risk of serious damage to eyes.

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Species : Rabbit  
Result : No eye irritation  
Exposure time : 168 h  
Method : Draize Test  
GLP : No information available.  
Test substance : anhydrous substance

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified due to lack of data.

**Respiratory sensitization**

Not classified due to lack of data.

**Components:****Sodium citrate dihydrate:**

Test Type : Maximization Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitization.  
Method : OECD Test Guideline 406  
Test substance : anhydrous substance

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Species : Humans  
Result : Not a skin sensitizer.  
GLP : No information available.  
Test substance : anhydrous substance

**Germ cell mutagenicity**

Not classified due to lack of data.

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Components:****Somatropin:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: positive

**Sodium chloride (NaCl):**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (micronucleus test)  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Rat (female)  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 475  
Result: positive

**Sodium citrate dihydrate:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Method: OECD Test Guideline 487  
Result: positive

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Method: Regulation (EC) No. 440/2008, Annex, B.22  
Result: negative

Test Type: Chromosome aberration test in vitro  
Species: Rat  
Cell type: Bone marrow  
Application Route: Oral  
Method: OECD Test Guideline 475  
Result: negative

**Phenol:**

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

Genotoxicity in vitro : Remarks: In vitro tests showed mutagenic effects

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Test system: Salmonella typhimurium  
Result: negativeGenotoxicity in vivo : Species: Rat (male)  
Cell type: Bone marrow  
Method: OECD Test Guideline 475  
Result: negative**Carcinogenicity**

Not classified due to lack of data.

**Components:****Phenol:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.**Reproductive toxicity**

Not classified due to lack of data.

**STOT-single exposure**

Not classified due to lack of data.

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Components:****Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**Target Organs : Respiratory system  
Assessment : May cause respiratory irritation.**STOT-repeated exposure**

Not classified due to lack of data.

**Components:****Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**NOAEL : 4,000 mg/kg  
Application Route : Oral  
Exposure time : 10 days**Aspiration toxicity**

Not classified due to lack of data.

**Components:****Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

No data available

**Further information****Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Sodium chloride (NaCl):**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7,650 mg/l  
Exposure time: 96 h

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

		LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 5,840 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 874 mg/l Exposure time: 48 h Test Type: static test
		LC50 ( <i>Daphnia magna</i> (Water flea)): 4,136 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50: 2,430 mg/l Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 252 mg/l Exposure time: 33 d Test Type: flow-through test Method: OECD Test Guideline 210 GLP: no
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia</i> ): 314 mg/l Exposure time: 21 d Test Type: semi-static test Method: OECD Test Guideline 211

**Ecotoxicology Assessment**

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

**Sodium citrate dihydrate:**

Toxicity to fish	:	LC50 ( <i>Poecilia reticulata</i> (guppy)): > 18,000 - 32,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 5,600 - 10,000 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 ( <i>Chlorella vulgaris</i> (Fresh water algae)): 18,000 - 32,000 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50 (Bacteria): 1,800 - 3,200 mg/l Exposure time: 8 h

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Phenol:**

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 1.75 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 370 mg/l  
Exposure time: 96 h
- Toxicity to microorganisms : (Pseudomonas putida): 64 mg/l  
Exposure time: 16 h

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 471 mg/l  
Exposure time: 96 h  
Test Type: static test  
GLP: No information available.
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Mysidopsis bahia (opossum shrimp)): 165 mg/l  
Exposure time: 96 h  
Test Type: static test  
GLP: No information available.

**Ecotoxicology Assessment**

- Acute aquatic toxicity : This product has no known ecotoxicological effects.  
Remarks: Expert judgment
- Chronic aquatic toxicity : This product has no known ecotoxicological effects.  
Remarks: Expert judgment
- Toxicity Data on Soil : Not expected to adsorb on soil.  
Remarks: Expert judgment
- Other organisms relevant to the environment : No data available  
Remarks: Expert judgment

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 72 h
- Toxicity to algae/aquatic plants : EC0 (Scenedesmus quadricauda (Green algae)): 640 mg/l

**Ecotoxicology Assessment**

- Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

**Persistence and degradability****Product:**Biodegradability : Biodegradation: 68 %  
Exposure time: 28 d  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.**Components:****Somatropin:**

Biodegradability : Result: Globular proteins are generally well biodegradable

**Sodium chloride (NaCl):**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**Sodium citrate dihydrate:**Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 64 %  
Exposure time: 29 d  
Method: OECD Test Guideline 301B  
GLP: yes**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B**Bioaccumulative potential****Components:****Somatropin:**

Partition coefficient: n-octanol/water : Remarks: No data available

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025**Sodium chloride (NaCl):**

Partition coefficient: n-octanol/water : Remarks: Not applicable

**Sodium citrate dihydrate:**Bioaccumulation : Bioconcentration factor (BCF): 3.2  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : Remarks: No data available

**Phenol:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**

Partition coefficient: n-octanol/water : Remarks: No data available

**1,2,3-Propanetricarboxylic acid, 2-hydroxy-:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow &lt;= 4).

Partition coefficient: n-octanol/water : log Pow: -1.72 (68 °F / 20 °C)

**Water:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

**Components:****Somatropin:**

Additional ecological : Protein with highly specific affinity to a certain antigen;

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

information therefore, no appreciable ecotoxic potential is to be expected

**Phenol:**

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

**SARA 311/312 Hazards** : No SARA Hazards

**NUTROPIN Cartridges 10 mg/2ml**

 Version  
 1.0

 Revision Date:  
 06/13/2025

 Date of last issue: -  
 Date of first issue: 06/13/2025

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Phenol	108-95-2	>= 0.1 - < 1 %
--------	----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Phenol	108-95-2	>= 0.1 - < 1 %
--------	----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**US State Regulations**
**Massachusetts Right To Know**

Phenol	108-95-2
--------	----------

**Pennsylvania Right To Know**

Water	7732-18-5
Phenol	108-95-2

**Maine Chemicals of High Concern**
**Vermont Chemicals of High Concern**

Phenol	108-95-2
--------	----------

**Washington Chemicals of High Concern**

Phenol	108-95-2
--------	----------

**The ingredients of this product are reported in the following inventories:**

AIIC	: Not in compliance with the inventory
------	--

DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
-----	---

Somatropin

NZIoC	: Not in compliance with the inventory
-------	--

ENCS	: Not in compliance with the inventory
------	--

ISHL	: Not in compliance with the inventory
------	--

KECI	: Not in compliance with the inventory
------	--

PICCS	: Not in compliance with the inventory
-------	--

IECSC	: Not in compliance with the inventory
-------	--

**NUTROPIN Cartridges 10 mg/2ml**

 Version  
 1.0

 Revision Date:  
 06/13/2025

 Date of last issue: -  
 Date of first issue: 06/13/2025


TCSI : On the inventory, or in compliance with the inventory  
 TSCA : Product contains substance(s) not listed on TSCA inventory.  
 TECI : Not in compliance with the inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA 704:**

**HMIS® IV:**

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 NIOSH REL / C : Ceiling value not be exceeded at any time.  
 OSHA P0 / TWA : 8-hour time weighted average  
 OSHA Z-1 / TWA : 8-hour time weighted average

**NUTROPIN Cartridges 10 mg/2ml**Version  
1.0Revision Date:  
06/13/2025Date of last issue: -  
Date of first issue: 06/13/2025

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TEI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/13/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN / 2404