

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015**SECTION 1. IDENTIFICATION**

Product name : PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)
Product code : 00010070843

Manufacturer or supplier's details

Company name of supplier : Genentech, Inc.

Address : DNA Way 1
94080 South San Francisco
CA
USA

Telephone : 001-(650) 225-1000

E-mail address : info.sds@roche.com

Emergency telephone

Emergency telephone number : US Chemtrec phone (800)-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Formulated pharmaceutical active substance

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
PEG-Interferon-alpha2A	198153-51-4	0.027
Benzenemethanol	100-51-6	1.0
Sodium chloride (NaCl)	7647-14-5	0.8
Sodium acetate trihydrate	6131-90-4	< 0.3
Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.	9005-65-6	< 0.01
Water	7732-18-5	> 97.0

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version
1.3

Revision Date:
02-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : No information available.
- Hazardous combustion products : Carbon oxides
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Local authorities should be advised if significant spillages

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version 1.3 Revision Date: 02-27-2020 Date of last issue: 06-10-2017
 Date of first issue: 12-05-2015

cannot be contained.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
 Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
 Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

Materials to avoid : No materials to be especially mentioned.

Storage temperature : Protected from heat and light

Further information on storage stability : No decomposition if stored and applied as directed.

Packaging material : Suitable material: Stainless steel, glass, Prefilled syringes, Autoinjector

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzenemethanol	100-51-6	TWA	10 ppm	US WEEL
PEG-Interferon-alpha2A	198153-51-4	IOEL	0.00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

Engineering measures : No data available

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Protective gloves

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version
1.3

Revision Date:
02-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Remarks : Wear appropriate protective gloves to prevent skin contact.
Replace torn or punctured gloves promptly.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution, sterile

Color : colorless, light yellow

Odor : No data available

Odor Threshold : No data available

pH : 5.8 - 6.2

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.004 g/cm³

Solubility(ies)

 Water solubility : completely miscible

 Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version 1.3	Revision Date: 02-27-2020	Date of last issue: 06-10-2017 Date of first issue: 12-05-2015
----------------	------------------------------	---

Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:**PEG-Interferon-alpha2A:**

Acute toxicity (other routes of administration)	:	No-observed-effect level (cynomolgus monkey): 0.3 mg/kg Application Route: i.v.
		No-observed-effect level (cynomolgus monkey): 6.75 mg/kg Application Route: s.c.

Benzenemethanol:

Acute oral toxicity	:	LD50 Oral (Rat): 1,230 mg/kg LD50 Oral (Mouse): 1,360 mg/kg
---------------------	---	--

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rabbit): 2,000 mg/kg

Sodium chloride (NaCl):

Acute oral toxicity : LD50 Oral (Rat): 3,000 mg/kg
LD50 Oral (Mouse): 4,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 30 mg/l
Test atmosphere: dust/mist
Method: Expert judgment

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Sodium acetate trihydrate:

Acute oral toxicity : LD50 (Rat): 3,530 mg/kg
LD50 (Mouse): 4,960 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 30 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Acute oral toxicity : LD50 Oral (Rat): 63,840 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Benzenemethanol:**

Remarks : This information is not available.

Sodium chloride (NaCl):

Remarks : This information is not available.

Sodium acetate trihydrate:

Remarks : This information is not available.

Serious eye damage/eye irritation

Not classified based on available information.

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015**Components:****Benzenemethanol:**

Remarks : This information is not available.

Sodium chloride (NaCl):

Remarks : This information is not available.

Sodium acetate trihydrate:

Remarks : This information is not available.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:**PEG-Interferon-alpha2A:**Genotoxicity in vitro : Result: negative
Remarks: In vitro tests did not show mutagenic effects**Carcinogenicity**

Not classified based on available information.

Components:**Benzenemethanol:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015**Reproductive toxicity**

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Components:**Benzenemethanol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Sodium acetate trihydrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Components:**Benzenemethanol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Sodium acetate trihydrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:**Benzenemethanol:**

No data available

Sodium acetate trihydrate:

No data available

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

No data available

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015**SECTION 12. ECOLOGICAL INFORMATION****Components:****PEG-Interferon-alpha2A:**

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 300 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
- NOEC (Cyprinus carpio (Carp)): 300 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 300 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes
- NOEC (Daphnia magna (Water flea)): 300 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to microorganisms : (activated sludge): 3.3 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: Barely inhibitory on aerobic bacterial respiration

Benzenemethanol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- LC50 (Oncorhynchus mykiss (rainbow trout)): 315 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 400 mg/l
Exposure time: 24 h
- EC0 (Daphnia magna (Water flea)): 369 mg/l
Exposure time: 48 h

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Toxicity to algae : EC0 (Desmodesmus subspicatus (green algae)): 640 mg/l
Exposure time: 96 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 658 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Sodium chloride (NaCl):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7,650 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Sodium acetate trihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,000 mg/l
Exposure time: 24 h

LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 7,200 mg/l
Exposure time: 18 h

EC50 (Photobacterium phosphoreum): 22,500 mg/l
Exposure time: 0.25 h

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Other organisms relevant to : No data available
the environment

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:**Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to : No data available
the environment

Persistence and degradability**Components:****PEG-Interferon-alpha2A:**

Biodegradability : Concentration: 3.3 mg/l
Result: Not readily biodegradable.
Biodegradation: <= 22 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Benzenemethanol:

Biodegradability : Biodegradation: 100 %
Exposure time: 2 d
Method: OECD Test Guideline 302B

Sodium chloride (NaCl):

Biodegradability : Remarks: The methods for determining biodegradability are
not applicable to inorganic substances.

Sodium acetate trihydrate:

Biodegradability : Biodegradation: 99 %
Exposure time: 28 d

Bioaccumulative potential**Components:****PEG-Interferon-alpha2A:**

Partition coefficient: n- : Remarks: No data available
octanol/water

Benzenemethanol:

Partition coefficient: n- : log Pow: 1.10
octanol/water

Sodium chloride (NaCl):

Partition coefficient: n- : Remarks: No data available
octanol/water

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version 1.3 Revision Date: 02-27-2020 Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Sodium acetate trihydrate:

Partition coefficient: n-octanol/water : log Pow: -4.22

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Partition coefficient: n-octanol/water : Remarks: No data available

Water:

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Components:

Benzenemethanol:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version 1.3	Revision Date: 02-27-2020	Date of last issue: 06-10-2017 Date of first issue: 12-05-2015
----------------	------------------------------	---

IATA-DGR
Not regulated as a dangerous good

IMDG-Code
Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Domestic regulation

49 CFR
Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity
This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity
This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : No SARA Hazards

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermedi-ate or Final VOC's (40 CFR 60.489):

Benzenemethanol	100-51-6	>= 1 - < 5 %
-----------------	----------	--------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Benzenemethanol	100-51-6
-----------------	----------

Pennsylvania Right To Know

Water	7732-18-5
Benzenemethanol	100-51-6

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version
1.3

Revision Date:
02-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Maine Chemicals of High Concern

Vermont Chemicals of High Concern

Washington Chemicals of High Concern

The ingredients of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

PEG-Interferon-alpha2A

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory


TSCA : Substance(s) not listed on TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)Version
1.3Revision Date:
02-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-05-2015**NFPA:****HMIS® IV:**

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

PEGASYS ProClick(TM) Autoinjector (135 mcg/0.5 ml)

Version
1.3

Revision Date:
02-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-05-2015

Revision Date : 02-27-2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 1810