

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

SECTION 1. IDENTIFICATION

Product name : PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Product code : 00010070847

Manufacturer or supplier's details

Company name of supplier : Genentech, Inc.

Address : 1 DNA Way

South San Francisco, CA 94080

USA

Telephone : 001-(650) 225-1000 E-mail address : info.sds@roche.com

Emergency telephone

Emergency telephone

: US Chemtrec phone (800)-424-9300

number

Recommended use of the chemical and restrictions on use

Recommended use : Formulated pharmaceutical active substance

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
PEG-Interferon-alpha-2a	198153-51-4	0.036
Benzenemethanol	100-51-6	1.0
Sodium chloride (NaCl)	7647-14-5	0.8
Sodium acetate trihydrate	6131-90-4	< 0.3
Sorbitan, mono-(9Z)-9-	9005-65-6	< 0.01
octadecenoate, poly(oxy-1,2-		
ethanediyl) derivs.		
Water	7732-18-5	> 97.0



Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Rinse mouth with water.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire

fighting

No information available.

Hazardous combustion

products

Carbon oxides

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Environmental precautions : Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

See label, package insert or internal guidelines

Materials to avoid : No materials to be especially mentioned.

Storage temperature : Protected from heat and light

Further information on

storage stability

No decomposition if stored and applied as directed.

Packaging material : Suitable material: Stainless steel, glass, Prefilled syringes,

Autoinjector

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzenemethanol	100-51-6	TWA	10 ppm	US WEEL
PEG-Interferon-alpha-2a	198153-51-4	IOEL	1,2 microgram per cubic meter	Roche Industrial Hygiene Committee (RIHC)

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
PEG-Interferon-alpha-2a	Surface waters	300 μg/l
	Remarks:	
	Based on acute data	

Engineering measures : No data available



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.

Replace torn or punctured gloves promptly.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution, sterile

Color : colorless, light yellow

Odor : No data available

Odor Threshold : No data available

pH : 5.8 - 6.2

Melting point/range : No data available

Boiling point/boiling range : No data available

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Relative vapor density : No data available

Relative density : No data available

Density : 1.004 g/cm3

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

PEG-Interferon-alpha-2a:



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Acute toxicity (other routes of :

administration)

No-observed-effect level (cynomolgus monkey): 0.3 mg/kg

Application Route: i.v.

No-observed-effect level (cynomolgus monkey): 6.75 mg/kg

Application Route: s.c.

Benzenemethanol:

Acute oral toxicity : LD50 Oral (Rat): 1,230 mg/kg

LD50 Oral (Mouse): 1,360 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 Dermal (Rabbit): 2,000 mg/kg

Sodium chloride (NaCl):

Acute oral toxicity : LD50 Oral (Rat): 3,000 mg/kg

LD50 Oral (Mouse): 4,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 30 mg/l

Test atmosphere: dust/mist Method: Expert judgment

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Sodium acetate trihydrate:

Acute oral toxicity : LD50 (Rat): 3,530 mg/kg

LD50 (Mouse): 4,960 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 30 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Acute oral toxicity : LD50 Oral (Rat): 63,840 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzenemethanol:

Remarks : This information is not available.



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Sodium chloride (NaCl):

Species : Rabbit

Result : No skin irritation

Sodium acetate trihydrate:

Remarks : This information is not available.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Species : Rabbit
Exposure time : 72 h
Method : Draize Test
Result : No skin irritation

GLP : No information available.
Test substance : anhydrous substance

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzenemethanol:

Remarks : This information is not available.

Sodium chloride (NaCl):

Species : Rabbit

Result : No eye irritation

Sodium acetate trihydrate:

Remarks : This information is not available.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Species : Rabbit

Result : No eye irritation

Exposure time : 168 h
Method : Draize Test

GLP : No information available.
Test substance : anhydrous substance

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Sodium chloride (NaCl):

Remarks : This information is not available.



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Species : Humans

Method : see user defined free text
Result : Not a skin sensitizer.
GLP : No information available.
Test substance : anhydrous substance

Germ cell mutagenicity

Not classified based on available information.

Components:

PEG-Interferon-alpha-2a:

Genotoxicity in vitro : Result: negative

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity -

Assessment

: In vitro tests did not show mutagenic effects

Remarks: Expert judgment

In vivo tests did not show mutagenic effects

Remarks: Expert judgment

Sodium chloride (NaCl):

Genotoxicity in vitro : Test Type: Micronucleus test

Test system: mammalian cells

Method: Mutagenicity (micronucleus test)

Result: negative

Test Type: Ames test Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzenemethanol:

Remarks : No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed $\,$

human carcinogen by IARC.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Remarks : No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

PEG-Interferon-alpha-2a:

Reproductive toxicity - : Presumed human reproductive toxicant

Assessment Remarks: Expert judgment

May damage fertility. May damage the unborn child.

Remarks: Expert judgment

STOT-single exposure

Not classified based on available information.

Components:

Benzenemethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Sodium acetate trihydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Components:

Benzenemethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Sodium acetate trihydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Components:

Benzenemethanol:

No data available

Sodium acetate trihydrate:

No data available

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

PEG-Interferon-alpha-2a:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 300 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

NOEC (Cyprinus carpio (Carp)): 300 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 300 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

NOEC (Daphnia magna (Water flea)): 300 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to microorganisms : (activated sludge): 3.3 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: Barely inhibitory on aerobic bacterial respiration

Benzenemethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

LC50 (Oncorhynchus mykiss (rainbow trout)): 315 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 400 mg/l

Exposure time: 24 h

EC0 (Daphnia magna (Water flea)): 369 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC0 (Desmodesmus subspicatus (green algae)): 640 mg/l

Exposure time: 96 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 658 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Sodium chloride (NaCl):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7,650 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,000 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Sodium acetate trihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,000 mg/l

Exposure time: 24 h

LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 7,200 mg/l

Exposure time: 18 h

EC50 (Photobacterium phosphoreum): 22,500 mg/l

Exposure time: 0.25 h

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 471 mg/l

Exposure time: 96 h Test Type: static test

GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Mysidopsis bahia (opossum shrimp)): 165 mg/l

Exposure time: 96 h Test Type: static test

GLP: No information available.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Remarks: Expert judgment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Remarks: Expert judgment

Toxicity Data on Soil : Not expected to adsorb on soil.

Remarks: Expert judgment

Other organisms relevant to

the environment

No data available

Remarks: Expert judgment

Persistence and degradability

Components:

PEG-Interferon-alpha-2a:

Biodegradability : Concentration: 3.3 mg/l

Result: Not readily biodegradable.

Biodegradation: <= 22 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Benzenemethanol:

Biodegradability : Biodegradation: 100 %

Exposure time: 2 d

Method: OECD Test Guideline 302B

Sodium chloride (NaCl):

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Sodium acetate trihydrate:

Biodegradability : Biodegradation: 99 %

Exposure time: 28 d

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Biodegradability : Result: Biodegradable

Biodegradation: 64 % Exposure time: 29 d

Method: OECD Test Guideline 301B

GLP: yes

Bioaccumulative potential

Components:

PEG-Interferon-alpha-2a:

Partition coefficient: n-

octanol/water

: Remarks: No data available

Benzenemethanol:

Partition coefficient: n-

octanol/water

log Pow: 1.10

Sodium chloride (NaCl):

Partition coefficient: n-

octanol/water

: Remarks: No data available

Sodium acetate trihydrate:

Partition coefficient: n-

octanol/water

log Pow: -4.22

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs.:

Partition coefficient: n-

octanol/water

: Remarks: No data available

Water:

Partition coefficient: n-

octanol/water

: Remarks: No data available



PEGASYS ProClickTM Autoinjector (180 mcg/0.5 ml)

Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Components:

Benzenemethanol:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Can be disposed as waste water, when in compliance with

local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation

49 CFR

Not regulated as a dangerous good



Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Benzenemethanol 100-51-6 >= 1 - < 5 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Benzenemethanol 100-51-6

Pennsylvania Right To Know

Water 7732-18-5 Benzenemethanol 100-51-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:



Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

PEG-Interferon-alpha-2a

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.


TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations



Version Revision Date: Date of last issue: 10-21-2020 2.0 04-20-2021 Date of first issue: 12-05-2015

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. -Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TSCA - Toxic Substances Control Act (United States): UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date : 04-20-2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2004