

TARCEVA(R) Tablets (100 mg)

Version 0.0 Revision Date: 01-27-2020 Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

SECTION 1. IDENTIFICATION

Product name : TARCEVA(R) Tablets (100 mg)
Product code : RO050-8231/F05
Common name(s), syno- : TARCEVA Film Coated Tablets
nym(s) of the substance

Manufacturer or supplier's details

Company name of supplier : Genentech, Inc.
Address : DNA Way 1
94080 South San Francisco
CA
USA
Telephone : 001-(650) 225-1000
E-mail address : info.sds@roche.com
Emergency telephone : US Chemtrec phone (800)-424-9300
Emergency telephone num-
ber

Recommended use of the chemical and restrictions on use


Recommended use : Formulated pharmaceutical active substance
Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Carcinogenicity : Category 2

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H351 Suspected of causing cancer.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

TARCEVA(R) Tablets (100 mg)
Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|--------------|-----------------------|
| Erlotinib hydrochloride | 183319-69-9 | 35.4 |
| Cellulose | 9004-34-6 | 28.6 |
| Lactose-1-Hydrate | 64044-51-5 | 22.4 |
| Starch, carboxymethyl ether, sodium salt | 9063-38-1 | 7.8 |
| Octadecanoic acid, magnesium salt (2:1) | 557-04-0 | 1.9 |
| Sulfuric acid monododecyl ester sodium salt (1:1) | 151-21-3 | < 1.0 |
| Titanium oxide (TiO ₂) | 13463-67-7 | < 0.9 |
| non hazardous compounds | Not Assigned | > 2.0 |

SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Rinse mouth with water.

Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : No information available.

Hazardous combustion products : In case of fire hazardous decomposition products may be produced such as:
Gaseous hydrogen chloride (HCl).
Nitrogen oxides (NOx)

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : See label, package insert or internal guidelines
- Storage temperature : Protected from heat and light
Protect from moisture.
- Further information on storage stability : No decomposition if stored and applied as directed.
- Packaging material : Suitable material: Stainless steel, glass, Polyethylene bag in metal drum, Blister packages

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|-------------|----------------------------------|--|---|
| Erlotinib hydrochloride | 183319-69-9 | IOEL | 0.05 mg/m ³ | Roche Industrial Hygiene Committee (RIHC) |
| Cellulose | 9004-34-6 | TWA | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable) | 5 mg/m ³ | NIOSH REL |
| | | TWA (total) | 10 mg/m ³ | NIOSH REL |
| | | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m ³ | OSHA Z-1 |
| | | TWA (Total dust) | 15 mg/m ³ | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m ³ | OSHA P0 |
| Octadecanoic acid, magnesium salt (2:1) | 557-04-0 | TWA (Inhalable fraction) | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable fraction) | 3 mg/m ³ | ACGIH |
| Titanium oxide (TiO ₂) | 13463-67-7 | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 |

SAFETY DATA SHEET

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

| | | | | |
|--|--|------------------|-----------------------------|---------|
| | | TWA (Total dust) | 10 mg/m3 | OSHA P0 |
| | | TWA | 10 mg/m3 (Titanium dioxide) | ACGIH |

Predicted No Effect Concentration (PNEC):

| Substance name | Environmental Compartment | Value |
|---|---------------------------|-------------|
| Sulfuric acid monododecyl ester sodium salt (1:1) | Fresh water | 0.176 mg/l |
| | Sea water | 0.0176 mg/l |
| | Fresh water sediment | 6.97 mg/kg |
| | Sea sediment | 0.697 mg/kg |
| | Soil | 1.29 mg/kg |
| | | |

Engineering measures : No data available

Personal protective equipment

Hand protection

Material : Protective gloves

Remarks : Wear appropriate protective gloves to prevent skin contact.
Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet

Color : white

Odor : Not applicable

Odor Threshold : Not applicable

pH : Not applicable

Melting point/range : 230 - 238 °C / 230 - 238 °C

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

SAFETY DATA SHEET

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : Not applicable

Relative density : No data available

Solubility(ies)
Water solubility : 0.81 g/l slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Exposure to light.
Heat.

Incompatible materials : No data available

Hazardous decomposition products : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : Acute toxicity estimate: 3,906 mg/kg
Method: Calculation method

Components:**Erlotinib hydrochloride:**

Acute oral toxicity : LD50 Oral (Rat): 1,000 - 2,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Octadecanoic acid, magnesium salt (2:1):

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Titanium oxide (TiO₂):

Acute oral toxicity : LD50 (Rat): > 7,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:**Erlotinib hydrochloride:**

Species : Rabbit

Remarks : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Erlotinib hydrochloride:**

Species : Rabbit

Result : No eye irritation

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Erlotinib hydrochloride:

Species : guinea pig
Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Erlotinib hydrochloride:

Genotoxicity in vitro : Test Type: in vitro test
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Cellulose:

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC Group 2B: Possibly carcinogenic to humans
Titanium oxide (TiO2) 13463-67-7

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Erlotinib hydrochloride:

Effects on fetal development : Species: laboratory animal
Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT-single exposure

Not classified based on available information.

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015**Components:****Octadecanoic acid, magnesium salt (2:1):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Components:**Octadecanoic acid, magnesium salt (2:1):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Erlotinib hydrochloride:**Species : Rat
NOAEL : mg/kg bw/day, 1
Application Route : Oral
Exposure time : 6 month**Aspiration toxicity**

Not classified based on available information.

Components:**Octadecanoic acid, magnesium salt (2:1):**

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Erlotinib hydrochloride:**Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: nominal concentrationLC0 (Danio rerio (zebra fish)): 1.8 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yesToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015GLP: yes
Remarks: nominal concentrationNOEC (Daphnia magna (Water flea)): 0.70 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Measured valueEC10 (Daphnia magna (Water flea)): 1.53 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Measured valueToxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: nominal concentrationNOEC (Selenastrum capricornutum (green algae)): 1.39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yesToxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP: yes
Remarks: nominal concentration**Cellulose:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Octadecanoic acid, magnesium salt (2:1):**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Titanium oxide (TiO₂):

Toxicity to fish : LC0 (Leuciscus idus (Golden orfe)): > 1,000 mg/l

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

Exposure time: 48 h

Toxicity to daphnia and other : EC0 (Daphnia magna (Water flea)): 3 mg/l
aquatic invertebrates Exposure time: 720 h**Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to : No data available
the environment**Persistence and degradability****Components:****Erlotinib hydrochloride:**Biodegradability : Concentration: 100 mg/l
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301C
GLP: yesConcentration: 30 mg/l
Result: Not inherently biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
GLP: no**Bioaccumulative potential****Components:****Erlotinib hydrochloride:**Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 7.8
Exposure time: 14 d
Temperature: 14 °C / 14 °C
Concentration: ca. 2 µg/l
Method: OECD Test Guideline 305
GLP: yes
Remarks: Does not significantly accumulate in organisms.Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 10.1
Exposure time: 14 d
Temperature: 14 °C / 14 °C
Concentration: ca. 21 µg/l
Method: OECD Test Guideline 305
GLP: yes
Remarks: Does not significantly accumulate in organisms.Partition coefficient: n- : log Pow: 3.37 (20 °C / 20 °C)
octanol/water Method: Tested according to Directive 92/69/EEC.
GLP: yes

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015**Cellulose:**

Partition coefficient: n-octanol/water : Remarks: No data available

Octadecanoic acid, magnesium salt (2:1):Partition coefficient: n-octanol/water : log Pow: 0.8
Method: OECD Test Guideline 107**Titanium oxide (TiO₂):**

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil**Components:****Erlotinib hydrochloride:**Distribution among environmental compartments : Koc: 5470, log Koc: 3.7
Method: OECD Test Guideline 121
Remarks: immobile**Other adverse effects****Product:**Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Can be disposed as waste water, when in compliance with local regulations.Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

TARCEVA(R) Tablets (100 mg)

Version 0.0 Revision Date: 01-27-2020 Date of last issue: 06-10-2017
 Date of first issue: 12-11-2015

UNRTDG
Not regulated as a dangerous good

IATA-DGR
Not regulated as a dangerous good

IMDG-Code
Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Domestic regulation

49 CFR
Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity
This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity
This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

| Components | CAS-No. | Component TPQ (lbs) |
|------------|---------|---------------------|
|------------|---------|---------------------|

SARA 311/312 Hazards : Carcinogenicity

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Cellulose 9004-34-6

Pennsylvania Right To Know

Erlotinib hydrochloride 183319-69-9

SAFETY DATA SHEET

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

| | |
|--|------------|
| Cellulose | 9004-34-6 |
| Lactose-1-Hydrate | 64044-51-5 |
| Starch, carboxymethyl ether, sodium salt | 9063-38-1 |

Maine Chemicals of High Concern

Vermont Chemicals of High Concern

Washington Chemicals of High Concern

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium oxide (TiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

| | |
|---|-----------|
| Cellulose | 9004-34-6 |
| Octadecanoic acid, magnesium salt (2:1) | 557-04-0 |

The ingredients of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Erlotinib hydrochloride

non hazardous compounds

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory


TSCA : Substance(s) not listed on TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

TARCEVA(R) Tablets (100 mg)Version
0.0Revision Date:
01-27-2020Date of last issue: 06-10-2017
Date of first issue: 12-11-2015**NFPA:****HMIS® IV:**

| | | |
|------------------------|---|----------|
| HEALTH | * | 0 |
| FLAMMABILITY | | 0 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

| | | |
|-----------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| NIOSH REL | : | USA. NIOSH Recommended Exposure Limits |
| OSHA P0 | : | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| OSHA Z-1 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA P0 / TWA | : | 8-hour time weighted average |
| OSHA Z-1 / TWA | : | 8-hour time weighted average |

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;

TARCEVA(R) Tablets (100 mg)

Version
0.0

Revision Date:
01-27-2020

Date of last issue: 06-10-2017
Date of first issue: 12-11-2015

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01-27-2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 1810