SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Genentech
A Member of the Roche Group

WILSERDLY Capsules 30 mg

Version	Revision Date:	Date of last issue: 08/28/2026
3.1	10/27/2026	Date of first issue: 06/22/2025

SECTION 1. IDENTIFICATION

Product name : WILSERDLY Capsules 30 mg

Product code : RO719-7597/F22-06

Common name(s), synonym(s) of the substance : Giredestrant Capsules 30 mg

Manufacturer or supplier's details

Company name of supplier : Genentech, Inc.

Address : 1 DNA Way
South San Francisco, CA 94080
USA

Telephone : 001-(650) 225-1000

E-mail address : info.sds@roche.com

Emergency telephone

In case of emergencies: : US CHEMTREC PHONE (800)-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Formulated pharmaceutical active substance

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H360FD May damage fertility. May damage the unborn child.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Giredestrant tartrate	2407529-33-1*	31.7	-
Cellulose	9004-34-6*	20.3	-
D-Glucose, 4-O-.beta.-D-galactopyranosyl-	63-42-3*	6.1	-
Croscarmellose sodium	74811-65-7*	3.1	-
Titanium oxide (TiO2)	13463-67-7*	0.8	-
Cellulose, 2-hydroxypropyl methyl ether	9004-65-3*	36.8	-
Octadecanoic acid, magnesium salt (2:1)	557-04-0*	0.3	-
non hazardous compounds	-	< 1	-

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May damage fertility. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products	:	Carbon oxides Fluorinated hydrocarbons Nitrogen oxides (NOx)
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

Storage temperature : Protect from heat and light
Protect from moisture.

Further information on storage stability : No decomposition if stored and applied as directed.

Packaging material : Suitable material: Plastic container of HDPE, Blister packages

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

Giredestrant tartrate	2407529-33-1	IOEL	0.003 mg/m3	Roche Industrial Hygiene Committee (RIHC)
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Titanium oxide (TiO2)	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.2 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Giredestrant tartrate	Surface waters	0.0373 mg/l
	Remarks:Based on chronic data	

Engineering measures : No data available

Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

In case of contact through splashing:

Material	:	Nitrile rubber
Break through time	:	> 30 min
Glove thickness	:	> 0.11 mm

In case of contact through splashing:

Material	:	Nitrile rubber
Break through time	:	> 30 min
Glove thickness	:	> 0.11 mm

In case of full contact:

Material	:	butyl-rubber
Break through time	:	> 480 min
Glove thickness	:	> 0.4 mm

In case of full contact:

Material	:	butyl-rubber
Break through time	:	> 480 min
Glove thickness	:	> 0.4 mm

Remarks	:	Wear appropriate protective gloves to prevent skin contact. Replace torn or punctured gloves promptly.

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Instruction of employees mandatory
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	capsule
Color	:	brown
Color		pink
Odor	:	Not applicable
Odor Threshold	:	Not applicable
pH	:	Not applicable

Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available

Solubility(ies)

Water solubility	:	No data available
Solubility in other solvents	:	No data available

Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

Viscosity

Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Particle characteristics

Particle Size Distribution	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
		No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
		Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.

Conditions to avoid	:	No data available
		No data available
Incompatible materials	:	No data available
		Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity
Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,578 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

Giredestrant tartrate:

Acute oral toxicity	:	LD50 (Rat, female): > 300 mg/kg

Cellulose:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2,000 mg/kg

Titanium oxide (TiO2):

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation
Not classified due to lack of data.

Components:

Titanium oxide (TiO2):

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation
Not classified due to lack of data.

Components:

Titanium oxide (TiO2):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization
Not classified due to lack of data.

Respiratory sensitization
Not classified due to lack of data.

Components:

Titanium oxide (TiO2):

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 406

Germ cell mutagenicity
Not classified due to lack of data.

Components:

Giredestrant tartrate:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Test Type: Ames test
Test system: Escherichia coli
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

Cellulose:

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC **Group 2B: Possibly carcinogenic to humans**
Titanium oxide (TiO2) 13463-67-7

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Giredestrant tartrate:

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat, female Application Route: Oral Dose: 3; 10 mg/kg bw/day General Toxicity Maternal: NOAEL: 3 mg/kg bw/day
Reproductive toxicity - Assessment	:	May damage fertility. May damage the unborn child., Presumed human reproductive toxicant

STOT-single exposure
Not classified due to lack of data.

STOT-repeated exposure
Not classified due to lack of data.

Repeated dose toxicity

Components:

Giredestrant tartrate:

Species	:	Rat, female
	:	10 mg/kg
Application Route	:	Oral
Exposure time	:	4 weeks
Dose	:	0,10,30,100
Target Organs	:	ovaries
Symptoms	:	female reproductive effects

Species	:	Rat, female
	:	10 mg/kg
Application Route	:	Oral
Exposure time	:	26 weeks
Dose	:	3,10,30,100
Target Organs	:	ovaries
Symptoms	:	female reproductive effects

Aspiration toxicity
Not classified due to lack of data.

Further information

Product:

Remarks	:	No data available

Components:

Giredestrant tartrate:

Remarks	:	Not phototoxic (in vitro)

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Giredestrant tartrate:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 49.4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes Remarks: nominal concentration NOEC (Daphnia magna (Water flea)): 26.0 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes Remarks: nominal concentration
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.27 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes

Remarks: average measured concentration

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.279 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: average measured concentration

NOErC (Raphidocelis subcapitata (freshwater green alga)): 0.279 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: average measured concentration

ErC10 (Raphidocelis subcapitata (freshwater green alga)): 0.373 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: average measured concentration

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 3.6 mg/l

Exposure time: 35 d

Test Type: Fish early-life stage (FELS) toxicity test (OECD 210)

Method: OECD Test Guideline 210

GLP: yes

Remarks: average measured concentration

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.1 mg/l

Exposure time: 21 d

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: average measured concentration

EC10 (Daphnia magna (Water flea)): 5.6 mg/l

Exposure time: 21 d

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: average measured concentration

Toxicity to microorganisms : NOEC (activated sludge): 52.5 mg/l

Exposure time: 14 d

Test Type: aerobic

Method: OECD Test Guideline 301F

GLP: yes

Remarks: no adverse influence on substrate biodegradation

EC10 (activated sludge): 33 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

GLP: yes

Cellulose:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Titanium oxide (TiO2):

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Test Type: static test LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l Exposure time: 72 h Method: ISO 10253 NOEC (Skeletonema costatum (marine diatom)): 5,600 mg/l Exposure time: 72 h Method: ISO 10253

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to	:	No data available

the environment

Persistence and degradability

Components:

Giredestrant tartrate:

Biodegradability	:	aerobic Concentration: 52 mg/l Theoretical oxygen demand Result: Not readily biodegradable. Biodegradation: < 10 % Exposure time: 28 d Method: OECD Test Guideline 301F GLP: yes
Biodegradation Simulation Tests	:	Environmental Compartment: Fresh water sediment Value type: DT50 Value: 12 - 46 d Measurement method: OECD Test Guideline 308 Temperature: 20.5 °C Remarks: Product is not persistent.
Physico-chemical removability	:	Method: OECD Test Guideline 301F Remarks: Not abiotically degradable

Titanium oxide (TiO2):

Biodegradability	:	Remarks: Not applicable

Bioaccumulative potential

Components:

Giredestrant tartrate:

Bioaccumulation	:	Species: Danio rerio (zebra fish) Bioconcentration factor (BCF): 6.03

Exposure time: 7 d

Temperature: 73 °F / 23 °C

Concentration: 0,5 µg/l

Method: OECD Test Guideline 305

GLP: yes

Remarks: Does not bioaccumulate.
Expert judgment

Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 6.67

Exposure time: 7 d

Temperature: 73 °F / 23 °C

Concentration: 5 µg/l

Method: OECD Test Guideline 305

GLP: yes

Remarks: Does not bioaccumulate.
Expert judgment

Partition coefficient: n-octanol/water : log Pow: 1.16 (73 °F / 23 °C)

pH: 5.0

Method: OECD Test Guideline 107

GLP: yes

log Pow: 3.02 (72.5 °F / 22.5 °C)

pH: 7.0

Method: OECD Test Guideline 107

GLP: yes

log Pow: 4.05 (77 °F / 25 °C)

pH: 9.0

Method: OECD Test Guideline 123

GLP: yes

Cellulose:

Partition coefficient: n-octanol/water : Remarks: No data available

Titanium oxide (TiO2):

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

Components:

Giredestrant tartrate:

Distribution among environmental compartments : Medium: Soil

Koc: 5388 - 10957 ml/g

Method: OECD Test Guideline 106

Remarks: immobile

Medium: Sludge

Koc: 1924 - 5387 ml/g

Method: OECD Test Guideline 106

Remarks: immobile

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

Giredestrant tartrate:

Results of PBT and vPvB assessment	:	Not persistent, bioaccumulative, and toxic (PBT). Not very persistent and very bioaccumulative (vPvB).

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Giredestrant)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.

(Giredestrant)

Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
		(Giredestrant)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments
Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.
		(Giredestrant)
Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
ERG Code	:	171
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Cellulose	9004-34-6

Pennsylvania Right To Know

Cellulose, 2-hydroxypropyl methyl ether	9004-65-3
Giredestrant tartrate	2407529-33-1
Cellulose	9004-34-6
D-Glucose, 4-O-.beta.-D-galactopyranosyl-	63-42-3
Croscarmellose sodium	74811-65-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. **California Permissible Exposure Limits for Chemical Contaminants**

Cellulose	9004-34-6

The ingredients of this product are reported in the following inventories:

AU AIIC	:	Not in compliance with the inventory
CA. DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.
		Giredestrant tartrate
		Croscarmellose sodium
		non hazardous compounds
NZ NZIoC	:	Not in compliance with the inventory

JP ENCS	:	Not in compliance with the inventory
JP ISHL	:	Not in compliance with the inventory
KR KECI	:	Not in compliance with the inventory
PH PICCS	:	Not in compliance with the inventory
CN IECSC	:	Not in compliance with the inventory
TW TCSI	:	Not in compliance with the inventory
US TSCA	:	Product contains substance(s) not listed on TSCA inventory.
TH TECI	:	Not in compliance with the inventory

TSCA list
No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -

Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/27/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN / 2510