

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**SECTION 1. IDENTIFICATION**

Product name : XOFLUZA Tablets 40 mg

Product code : RO719-1686/F13-00

Common name(s),
synonym(s) of the substance : XOFLUZA Film Coated Tablets 40 mg
XOFLUZA F.C. Tablets 40 mg
BS11564, BS11395

Manufacturer or supplier's details

Company name of supplier : Genentech, Inc.

Address : 1 DNA Way
South San Francisco, CA 94080
USA

Telephone : 001-(650) 225-1000

E-mail address : info.sds@roche.com

Emergency telephone
In case of emergencies: : US CHEMTREC PHONE (800)-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Formulated pharmaceutical active substance

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Carcinogenicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H351 Suspected of causing cancer.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**Storage:**

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Baloxavir Marboxil	1985606-14-1	15.9
Lactose-1-Hydrate	64044-51-5	61.9
Cellulose	9004-34-6	9
Croscarmellose sodium	74811-65-7	4.4
2-Pyrrolidinone, 1-ethenyl-, homopolymer	9003-39-8	4.4
sodium octadecyl fumarate	4070-80-8	1.3
Titanium oxide (TiO ₂)	13463-67-7	0.9
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	0.1
non hazardous compounds	Not Assigned	2.1

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Hydrogen fluoride
Sulfur oxides
Nitrogen oxides (NOx)
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for : Keep in suitable, closed containers for disposal.

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

containment and cleaning up

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Storage temperature : Protect from heat and light
Protect from moisture.
- Further information on storage stability : No decomposition if stored and applied as directed.
- Packaging material : Suitable material: Stainless steel, Polyethylene bag in metal drum, Blister packages, glass

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Baloxavir Marboxil	1985606-14-1	IOEL	0.0025 mg/m3	Roche Industrial Hygiene Committee (RIHC)
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA Z-1

XOFLUZA Tablets 40 mg

 Version
 1.0

 Revision Date:
 06/15/2025

 Date of last issue: -
 Date of first issue: 06/15/2025

		(respirable fraction)		
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Titanium oxide (TiO2)	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.2 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
Substance name		Environmental Compartment		Value
Baloxavir Marboxil		Surface waters		9.2 µg/l
		Remarks: Based on chronic data, Information refers to the main ingredient.		

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
 Break through time : > 30 min
 Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
 Break through time : > 480 min
 Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact. Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water
 Tightly fitting safety goggles

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet

Color : white, light yellow

Odor : Not applicable

Odor Threshold : Not applicable

pH : Not applicable

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025Partition coefficient: n-
octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Particle characteristics

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous
reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : No data available

Not applicable

Hazardous decomposition
products : No data available

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Product:Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation methodAcute inhalation toxicity : Acute toxicity estimate: 118.18 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Lactose-1-Hydrate:**

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg
Test substance: anhydrous substance

Baloxavir Marboxil:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Titanium oxide (TiO₂):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Components:**Titanium oxide (TiO₂):**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:**Titanium oxide (TiO₂):**

Species : Rabbit

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:**Titanium oxide (TiO₂):**

Species : Guinea pig
Assessment : Does not cause skin sensitization.
Method : OECD Test Guideline 406

Germ cell mutagenicity

Not classified due to lack of data.

Components:**Baloxavir Marboxil:**

Genotoxicity in vitro : Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:**Cellulose:**

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Titanium oxide (TiO₂):

Carcinogenicity - : Limited evidence of a carcinogenic effect.
Assessment

IARC Group 2B: Possibly carcinogenic to humans
Titanium oxide (TiO₂)

13463-67-7

OSHA No component of this product present at levels greater than or equal to 0.1% is

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:**Baloxavir Marboxil:**

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 1000 milligram per kilogram
Duration of Single Treatment: 12 d
Result: No effects on fetal development.

Species: Rabbit
Application Route: Oral
Dose: 100 milligram per kilogram
Duration of Single Treatment: 12 d
Result: No effects on fetal development.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity**Components:****Baloxavir Marboxil:**

Species : Rat
NOAEL : 2000 mg/kg bw/day
Application Route : Oral
Exposure time : 2 Weeks
Remarks : Subacute toxicity

Aspiration toxicity

Not classified due to lack of data.

Further information**Product:**

Remarks : No data available

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Lactose-1-Hydrate:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to
the environment : No data available**Baloxavir Marboxil:**Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: average measured concentrationNOEC (Danio rerio (zebra fish)): 10.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: average measured concentrationToxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 17.4 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: measured initial concentrationNOEC (Daphnia magna (Water flea)): 17.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: measured initial concentrationToxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 9.28 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: average measured concentrationNOErC (Desmodesmus subspicatus (green algae)): 1.75 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: average measured concentration

EyC50 (Desmodesmus subspicatus (green algae)): 4.76 mg/l

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: average measured concentration

Toxicity to microorganisms : (activated sludge): Exposure time: 14 d
Method: OECD Test Guideline 301F
GLP: yes
Remarks: no adverse influence on substrate biodegradation

Cellulose:**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Titanium oxide (TiO₂):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h
Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 5,600 mg/l
Exposure time: 72 h
Method: ISO 10253

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**Persistence and degradability****Components:****Lactose-1-Hydrate:**

Biodegradability : Remarks: No data available

Baloxavir Marboxil:Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yesPhysico-chemical
removability : Method: OECD Test Guideline 301F
Remarks: Not abiotically degradable**Titanium oxide (TiO₂):**

Biodegradability : Remarks: Not applicable

Bioaccumulative potential**Components:****Lactose-1-Hydrate:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-
octanol/water : log Pow: -5.01
Remarks: anhydrous substance**Baloxavir Marboxil:**Partition coefficient: n-
octanol/water : log Pow: 2.24
Method: calculated, consensus of various QSARslog Pow: 2.46 (77 °F / 25 °C)
pH: 5
Method: OECD Test Guideline 117
GLP: yeslog Pow: 2.45 (77 °F / 25 °C)
pH: 7
Method: OECD Test Guideline 117
GLP: yeslog Pow: 2.46 (77 °F / 25 °C)
pH: 9
Method: OECD Test Guideline 117
GLP: yes**Cellulose:**Partition coefficient: n-
octanol/water : Remarks: No data available

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**Titanium oxide (TiO₂):**

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation**49 CFR**

Not regulated as a dangerous good

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**Special precautions for user**Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,
IMDG-Code, ICAO/IATA-DGR**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : Carcinogenicity**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations**Massachusetts Right To Know**

Cellulose 9004-34-6

Pennsylvania Right To Know

Lactose-1-Hydrate	64044-51-5
Baloxavir Marboxil	1985606-14-1
Cellulose	9004-34-6
Croscarmellose sodium	74811-65-7
2-Pyrrolidinone, 1-ethenyl-, homopolymer	9003-39-8

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025**Maine Chemicals of High Concern****Vermont Chemicals of High Concern****Washington Chemicals of High Concern****California Prop. 65**

WARNING: This product can expose you to chemicals including Titanium oxide (TiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

2-Pyrrolidinone, 1-ethenyl-, homopolymer 9003-39-8

California Permissible Exposure Limits for Chemical Contaminants

Cellulose 9004-34-6

The ingredients of this product are reported in the following inventories:

AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Baloxavir Marboxil Croscarmellose sodium non hazardous compounds sodium octadecyl fumarate
NZIoC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
TECI	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.


No substances are subject to TSCA 12(b) export notification requirements.

XOFLUZA Tablets 40 mg

 Version
 1.0

 Revision Date:
 06/15/2025

 Date of last issue: -
 Date of first issue: 06/15/2025

SECTION 16. OTHER INFORMATION
Further information
NFPA 704:

HMIS® IV:

HEALTH	*	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test

XOFLUZA Tablets 40 mgVersion
1.0Revision Date:
06/15/2025Date of last issue: -
Date of first issue: 06/15/2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/15/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN / 2404